

# dimred

October 12, 2009

## References

- [1] M. Balasubramanian and E. L. Schwartz. The isomap algorithm and topological stability. *Science*, 295(5552):7, Jan 2002.
- [2] M. Belkin and P. Niyogi. Laplacian Eigenmaps for Dimensionality Reduction and Data Representation. *Neural Comput.*, 15(6):1373–1396, 2003.
- [3] Y. Bengio, O. Delalleau, N. Le Roux, J.-F. Paiement, P. Vincent, and M. Ouimet. Learning eigenfunctions links spectral embedding and kernel PCA. *Neural Comput.*, 16(10):2197–219, Oct 2004.
- [4] D. L. Donoho and C. Grimes. Hessian eigenmaps: Locally linear embedding techniques for high-dimensional data. *Proc. Natl. Acad. Sci. USA*, 100(10):5591–5596, 2003.
- [5] P. J. L’Heureux, J. Carreau, Y. Bengio, O. Delalleau, and S. Y. Yue. Locally linear embedding for dimensionality reduction in QSAR. *J. Comput. Aided Mol. Des.*, 18(7-9):475–82, 2004.
- [6] J. Nilsson, T. Fioretos, M. Hglund, and M. Fontes. Approximate geodesic distances reveal biologically relevant structures in microarray data. *Bioinformatics*, 20(6):874–80, Apr 2004.
- [7] S. T. Roweis and L. K. Saul. Nonlinear dimensionality reduction by locally linear embedding. *Science*, 290(5500):2323–6, Dec 2000.
- [8] L. K. Saul and S. T. Roweis. Think Globally, Fit Locally: Unsupervised Learning of Low Dimensional Manifolds. *J. Mach. Learn. Res.*, 4:119–155, 2003.
- [9] J. B. Tenenbaum, V. de Silva, and J. C. Langford. A global geometric framework for nonlinear dimensionality reduction. *Science*, 290(5500):2319–23, Dec 2000.
- [10] K. Weinberger, B. Packer, and L. Saul. Nonlinear Dimensionality Reduction by Semidefinite Programming and Kernel Matrix Factorization. In

R. G. Cowell and Z. Ghahramani, editors, *Proceedings of the Tenth International Workshop on Artificial Intelligence and Statistics, Jan 6-8, 2005, Savannah Hotel, Barbados*, pages 381–388. Society for Artificial Intelligence and Statistics, 2005.

- [11] K. Q. Weinberger and L. K. Saul. Unsupervised Learning of Image Manifolds by Semidefinite Programming. In *2004 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'04)*, volume 2, pages 988–995, 2004.
- [12] K. Q. Weinberger, F. Sha, and L. K. Saul. Learning a kernel matrix for nonlinear dimensionality reduction. In *ICML '04: Twenty-first international conference on Machine learning*, New York, NY, USA, 2004. ACM Press.