

net

October 12, 2009

References

- [1] T. Akutsu, S. Miyano, and S. Kuhara. Inferring qualitative relations in genetic networks and metabolic pathways. *Bioinformatics*, 16(8):727–734, 2000.
- [2] R. Albert and A.L. Barabási. Statistical mechanics of complex networks. *Rev. Mod. Phys.*, 74:47–97, 2002.
- [3] R. Albert, H. Jeong, and A.-L. Barabási. Diameter of the World-Wide Web. *Nature*, 401:130–131, 1999.
- [4] R. Albert, H. Jeong, and A.-L. Barabási. Attack and error tolerance in complex networks. *Nature*, 406:378–381, 2000.
- [5] L. A. N. Amaral, A. Scala, M. Barthélémy, and H. E. Stanley. Classes of small-world networks. *Proc. Natl. Acad. Sci. USA*, 97(21):11149–11152, 2000.
- [6] T. Aoyama, Y. Suzuki, and H. Ichikawa. Neural networks applied to quantitative structure-activity relationship analysis. *J Med Chem*, 33(9):2583–2590, Sep 1990.
- [7] M. Arakawa, K. Hasegawa, and K. Funatsu. Application of the novel molecular alignment method using the Hopfield Neural Network to 3D-QSAR. *J Chem Inf Comput Sci*, 43(5):1396–1402, 2003.
- [8] Shai Avidan. Support vector tracking. *IEEE Trans Pattern Anal Mach Intell*, 26(8):1064–72, Aug 2004.
- [9] Harmohina Bagga, David S Greenfield, and William J Feuer. Quantitative assessment of atypical birefringence images using scanning laser polarimetry with variable corneal compensation. *Am J Ophthalmol*, 139(3):437–46, Mar 2005.
- [10] A. M. Bagirov, B. Ferguson, S. Ivkovic, G. Saunders, and J. Yearwood. New algorithms for multi-class cancer diagnosis using tumor gene expression signatures. *Bioinformatics*, 19(14):1800–7, Sep 2003.

- [11] Pantelis G Bagos, Theodore D Liakopoulos, and Stavros J Hamodrakas. Evaluation of methods for predicting the topology of beta-barrel outer membrane proteins and a consensus prediction method. *BMC Bioinformatics*, 6(1):7, Jan 2005.
- [12] Mukesh Bansal, Vincenzo Belcastro, Alberto Ambesi-Impiombato, and Diego di Bernardo. How to infer gene networks from expression profiles. *Mol Syst Biol*, 3:78, 2007.
- [13] A.-L. Barabási and R. Albert. Emergence of Scaling in Random Networks. *Science*, 286:509–512, 1999.
- [14] A.-L. Barabási and E. Ravasz. Deterministic scale-free networks. E-print cond-mat/0107419, 2001.
- [15] G. Baudat and F. Anouar. Generalized discriminant analysis using a kernel approach. *Neural Comput*, 12(10):2385–404, Oct 2000.
- [16] H. Bauknecht, A. Zell, H. Bayer, P. Levi, M. Wagener, J. Sadowski, and J. Gasteiger. Locating biologically active compounds in medium-sized heterogeneous datasets by topological autocorrelation vectors: dopamine and benzodiazepine agonists. *J Chem Inf Comput Sci*, 36(6):1205–1213, 1996.
- [17] R. Baumgartner, R. Somorjai, C. Bowman, T. C. Sorrell, C. E. Mountford, and U. Himmelreich. Unsupervised feature dimension reduction for classification of MR spectra. *Magn Reson Imaging*, 22(2):251–6, Feb 2004.
- [18] Monica Benito, Joel Parker, Quan Du, Junyuan Wu, Dong Xiang, Charles M Perou, and J. S. Marron. Adjustment of systematic microarray data biases. *Bioinformatics*, 20(1):105–14, Jan 2004.
- [19] S. Bhavani, A. Nagargadde, A. Thawani, V. Sridhar, and N. Chandra. Substructure-based support vector machine classifiers for prediction of adverse effects in diverse classes of drugs. *J Chem Inf Model*, 46(6):2478–2486, 2006.
- [20] Christopher Bowd, Kwokleung Chan, Linda M Zangwill, Michael H Goldbaum, Te-Won Lee, Terrence J Sejnowski, and Robert N Weinreb. Comparing neural networks and linear discriminant functions for glaucoma detection using confocal scanning laser ophthalmoscopy of the optic disc. *Invest Ophthalmol Vis Sci*, 43(11):3444–54, Nov 2002.
- [21] Christopher Bowd, Linda M Zangwill, Felipe A Medeiros, Jiucang Hao, Kwokleung Chan, Te-Won Lee, Terrence J Sejnowski, Michael H Goldbaum, Pamela A Sample, Jonathan G Crowston, and Robert N Weinreb. Confocal scanning laser ophthalmoscopy classifiers and stereophotograph evaluation for prediction of visual field abnormalities in glaucoma-suspect eyes. *Invest Ophthalmol Vis Sci*, 45(7):2255–62, Jul 2004.

- [22] V. Brusica, N. Petrovsky, G. Zhang, and V. B. Bajic. Prediction of promiscuous peptides that bind HLA class I molecules. *Immunol. Cell Biol.*, 80(3):280–285, Jun 2002.
- [23] Samarasena Buchala, Neil Davey, Ray J Frank, Martin Loomes, and Tim M Gale. The role of global and feature based information in gender classification of faces: a comparison of human performance and computational models. *Int J Neural Syst*, 15(1-2):121–8, 2005.
- [24] H.-H. Bui, A. J. Schiewe, H. von Grafenstein, and I. S. Haworth. Structural prediction of peptides binding to MHC class I molecules. *Proteins*, 63(1):43–52, Apr 2006.
- [25] S. Buus, S. L. Lauemøller, P. Worning, C. Kesmir, T. Frimurer, S. Corbet, A. Fomsgaard, J. Hilden, A. Holm, and S. Brunak. Sensitive quantitative predictions of peptide-MHC binding by a 'query by committee' artificial neural network approach. *Tissue Antigens*, 62(5):378–384, Nov 2003.
- [26] Renato Campanini, Danilo Dongiovanni, Emiro Iampieri, Nico Lanconelli, Matteo Masotti, Giuseppe Palermo, Alessandro Riccardi, and Matteo Rofilli. A novel featureless approach to mass detection in digital mammograms based on support vector machines. *Phys Med Biol*, 49(6):961–75, Mar 2004.
- [27] Ian Chan, William Wells, Robert V Mulkern, Steven Haker, Jianqing Zhang, Kelly H Zou, Stephan E Maier, and Clare M C Tempany. Detection of prostate cancer by integration of line-scan diffusion, T2-mapping and T2-weighted magnetic resonance imaging; a multichannel statistical classifier. *Med Phys*, 30(9):2390–8, Sep 2003.
- [28] Kwokleung Chan, Te-Won Lee, Pamela A Sample, Michael H Goldbaum, Robert N Weinreb, and Terrence J Sejnowski. Comparison of machine learning and traditional classifiers in glaucoma diagnosis. *IEEE Trans Biomed Eng*, 49(9):963–74, Sep 2002.
- [29] S. K. Chanda and J. S. Caldwell. Fulfilling the promise: drug discovery in the post-genomic era. *Drug Discov Today*, 8(4):168–174, Feb 2003.
- [30] Ming-Wei Chang, Chih-Jen Lin, and Ruby Chiu-Hsing Weng. Analysis of switching dynamics with competing support vector machines. *IEEE Trans Neural Netw*, 15(3):720–7, May 2004.
- [31] I. Chavel. *Eigenvalues in Riemannian geometry*. Academic Press, Orlando, Fl., 1984.
- [32] R. Chenna, H. Sugawara, T. Koike, R. Lopez, T. J. Gibson, D. G. Higgins, and J. D. Thompson. Multiple sequence alignment with the Clustal series of programs. *Nucleic Acids Res.*, 31(13):3497–3500, Jul 2003.

- [33] Vladimir Cherkassky and Yunqian Ma. Practical selection of SVM parameters and noise estimation for SVM regression. *Neural Netw*, 17(1):113–26, Jan 2004.
- [34] F. R. K. Chung. *Spectral graph theory*, volume 92 of *CBMS Regional Conference Series*. American Mathematical Society, Providence, 1997.
- [35] Kai-Min Chung, Wei-Chun Kao, Chia-Liang Sun, Li-Lun Wang, and Chih-Jen Lin. Radius margin bounds for support vector machines with the RBF kernel. *Neural Comput*, 15(11):2643–81, Nov 2003.
- [36] Gilles Cohen, Mélanie Hilario, Hugo Sax, Stphane Hugonnet, Christian Pellegrini, and Antoine Geissbuhler. An application of one-class support vector machine to nosocomial infection detection. *Medinfo*, 11(Pt 1):716–20, 2004.
- [37] Ronan Collobert, Samy Bengio, and Yoshua Bengio. A parallel mixture of SVMs for very large scale problems. *Neural Comput*, 14(5):1105–14, May 2002.
- [38] Keira R. Curtis, Matej Oresic, and Antonio Vidal-Puig. Pathways to the analysis of microarray data. *Trends in Biotechnology*, 23(8):429–435, 2005.
- [39] Georges A Darbellay, Rebecca Duff, Jean-Marc Vesin, Paul-Andr Despland, Dirk W Droste, Carlos Molina, Joachim Serena, Roman Sztajzel, Patrick Ruchat, Theodoros Karapanayiotides, Afksendyios Kalangos, Julien Bogousslavsky, Erich B Ringelstein, and Grald Devuyt. Solid or gaseous circulating brain emboli: are they separable by transcranial ultrasound? *J Cereb Blood Flow Metab*, 24(8):860–8, Aug 2004.
- [40] E. B. Davies, G. M. L. Gladwell, J. Leydold, and P. F. Stadler. Discrete Nodal Domain Theorems. *Lin. Alg. Appl.*, 336:51–60, 2001.
- [41] Y. C. de Verdière. Multiplicités des valeurs propres Laplaciens discrets et Laplaciens continus. *Rendiconti di Matematica*, 13:433–460, 1993.
- [42] C. Debouck and P. N. Goodfellow. DNA microarrays in drug discovery and development. *Nat Genet*, 21(1 Suppl):48–50, Jan 1999.
- [43] Jayne L Dennis and Karin A Oien. Hunting the primary: novel strategies for defining the origin of tumours. *J Pathol*, 205(2):236–47, Jan 2005.
- [44] Casey Diekman, Wei He, Nagabhushana Prabhu, and Harvey Cramer. Hybrid methods for automated diagnosis of breast tumors. *Anal Quant Cytol Histol*, 25(4):183–90, Aug 2003.
- [45] Frank Dieterle, Silvia Mller-Hagedorn, Hartmut M Liebich, and Gnter Gauglitz. Urinary nucleosides as potential tumor markers evaluated by learning vector quantization. *Artif. Intell. Med.*, 28(3):265–79, Jul 2003.

- [46] Chris Ding and Hanchuan Peng. Minimum redundancy feature selection from microarray gene expression data. *J Bioinform Comput Biol*, 3(2):185–205, Apr 2005.
- [47] Marko Djordjevic, Anirvan M Sengupta, and Boris I Shraiman. A biophysical approach to transcription factor binding site discovery. *Genome Res.*, 13(11):2381–90, Nov 2003.
- [48] S. Dreiseitl, L. Ohno-Machado, H. Kittler, S. Vinterbo, H. Billhardt, and M. Binder. A comparison of machine learning methods for the diagnosis of pigmented skin lesions. *J Biomed Inform*, 34(1):28–36, Feb 2001.
- [49] Justis P Ehlers and J. William Harbour. NBS1 expression as a prognostic marker in uveal melanoma. *Clin. Cancer Res.*, 11(5):1849–53, Mar 2005.
- [50] S. Ekins, B. Boulanger, P. W. Swaan, and M. A. Z. Hupcey. Towards a new age of virtual ADME/TOX and multidimensional drug discovery. *J Comput Aided Mol Des*, 16(5-6):381–401, 2002.
- [51] I. El-Naqa, Y. Yang, N. P. Galatsanos, R. M. Nishikawa, and M. N. Wernick. A similarity learning approach to content-based image retrieval: application to digital mammography. *IEEE Trans Med Imaging*, 23(10):1233–44, Oct 2004.
- [52] I. El-Naqa, Y. Yang, M. N. Wernick, N. P. Galatsanos, and R. M. Nishikawa. A support vector machine approach for detection of microcalcifications. *IEEE Trans Med Imaging*, 21(12):1552–63, Dec 2002.
- [53] D. Erös, G. Kéri, I. Kövesdi, C. Szántai-Kis, G. Mészáros, and L. Orfi. Comparison of predictive ability of water solubility QSPR models generated by MLR, PLS and ANN methods. *Mini Rev Med Chem*, 4(2):167–177, Feb 2004.
- [54] M. Faloutsos, P. Faloutsos, and C. Faloutsos. On power-law relationships of the internet topology. *Comput. Comm. Rev.*, 29:251–262, 1999.
- [55] Olivier Faugeras, Geoffray Adde, Guillaume Charpiat, Christophe Chef d’hotel, Maureen Clerc, Thomas Deneux, Rachid Deriche, Gerardo Hermosillo, Renaud Keriven, Pierre Kornprobst, Jan Kybic, Christophe Lenglet, Lucero Lopez-Perez, Tho Papadopoulos, Jean-Philippe Pons, Florent Segonne, Bertrand Thirion, David Tschumperl, Thierry Viville, and Nicolas Wotawa. Variational, geometric, and statistical methods for modeling brain anatomy and function. *Neuroimage*, 23 Suppl 1:S46–55, 2004.
- [56] J. Friedman. Some geometric aspects of graphs and their eigenfunctions. *Duke Math. J.*, 69:487–525, March 1993.
- [57] Roberto Fdez Galn, Silke Sachse, C. Giovanni Galizia, and Andreas V M Herz. Odor-driven attractor dynamics in the antennal lobe allow for simple and rapid olfactory pattern classification. *Neural Comput*, 16(5):999–1012, May 2004.

- [58] Deon Garrett, David A Peterson, Charles W Anderson, and Michael H Thaut. Comparison of linear, nonlinear, and feature selection methods for EEG signal classification. *IEEE Trans Neural Syst Rehabil Eng*, 11(2):141–4, Jun 2003.
- [59] Anne-Claude Gavin, Markus Bsche, Roland Krause, Paola Grandi, Martina Marzioch, Andreas Bauer, Jrg Schultz, Jens M Rick, Anne-Marie Michon, Cristina-Maria Cruciat, Marita Remor, Christian Hfert, Malgorzata Schelder, Miro Brajenovic, Heinz Ruffner, Alejandro Merino, Karin Klein, Manuela Hudak, David Dickson, Tatjana Rudi, Volker Gnau, Angela Bauch, Sonja Bastuck, Bettina Huhse, Christina Leutwein, Marie-Anne Heurtier, Richard R Copley, Angela Edelmann, Erich Querfurth, Vladimir Rybin, Gerard Drewes, Manfred Raida, Tewis Bouwmeester, Peer Bork, Bertrand Seraphin, Bernhard Kuster, Gitte Neubauer, and Giulio Superti-Furga. Functional organization of the yeast proteome by systematic analysis of protein complexes. *Nature*, 415(6868):141–7, Jan 2002.
- [60] Xijin Ge, Shuichi Tsutsumi, Hiroyuki Aburatani, and Shuichi Iwata. Reducing false positives in molecular pattern recognition. *Genome Inform Ser Workshop Genome Inform*, 14:34–43, 2003.
- [61] Girosi. An Equivalence Between Sparse Approximation and Support Vector Machines. *Neural Comput*, 10(6):1455–80, Jul 1998.
- [62] Dimitris Glotsos, Panagiota Spyridonos, Dionisis Cavouras, Panagiota Ravazoula, Petroula-Arampantoni Dadioti, and George Nikiforidis. Automated segmentation of routinely hematoxylin-eosin-stained microscopic images by combining support vector machine clustering and active contour models. *Anal Quant Cytol Histol*, 26(6):331–40, Dec 2004.
- [63] Dimitris Glotsos, Jussi Tohka, Panagiota Ravazoula, Dionisis Cavouras, and George Nikiforidis. Automated diagnosis of brain tumours astrocytomas using probabilistic neural network clustering and support vector machines. *Int J Neural Syst*, 15(1-2):1–11, 2005.
- [64] Michael H Goldbaum, Pamela A Sample, Kwokleung Chan, Julia Williams, Te-Won Lee, Eytan Blumenthal, Christopher A Girkin, Linda M Zangwill, Christopher Bowd, Terrence Sejnowski, and Robert N Weinreb. Comparing machine learning classifiers for diagnosing glaucoma from standard automated perimetry. *Invest Ophthalmol Vis Sci*, 43(1):162–9, Jan 2002.
- [65] Polina Golland, W. Eric L Grimson, Martha E Shenton, and Ron Kikinis. Detection and analysis of statistical differences in anatomical shape. *Med Image Anal*, 9(1):69–86, Feb 2005.
- [66] S. Goto, T. Nishioka, and M. Kanehisa. LIGAND: chemical database for enzyme reactions. *Bioinformatics*, 14:591–599, 1998.

- [67] S. Goto, Y. Okuno, M. Hattori, T. Nishioka, and M. Kanehisa. LIGAND: database of chemical compounds and reactions in biological pathways. *Nucleic Acids Res.*, 30:402–404, 2002.
- [68] Johannes Graumann, Leslie A Dunipace, Jae Hong Seol, W. Hayes McDonald, John R Yates, Barbara J Wold, and Raymond J Deshaies. Applicability of tandem affinity purification MudPIT to pathway proteomics in yeast. *Mol Cell Proteomics*, 3(3):226–37, Mar 2004.
- [69] N. Guelzim, S. Bottani, P. Bourguine, and F. Képès. Topological and causal structure of the yeast transcriptional regulatory network. *Nat. Genet.*, 31:60–63, 2002.
- [70] K. Gulukota, J. Sidney, A. Sette, and C. DeLisi. Two complementary methods for predicting peptides binding major histocompatibility complex molecules. *J Mol Biol*, 267(5):1258–1267, Apr 1997.
- [71] Hong Guo, Lindsay B Jack, and Asoke K Nandi. Feature generation using genetic programming with application to fault classification. *IEEE Trans Syst Man Cybern B Cybern*, 35(1):89–99, Feb 2005.
- [72] S. B. Gktrk, C. Tomasi, B. Acar, C. F. Beaulieu, D. S. Paik, R. B. Jeffrey, J. Yee, and S. Napel. A statistical 3-D pattern processing method for computer-aided detection of polyps in CT colonography. *IEEE Trans Med Imaging*, 20(12):1251–60, Dec 2001.
- [73] Bernard Haasdonk. Feature space interpretation of SVMs with indefinite kernels. *IEEE Trans Pattern Anal Mach Intell*, 27(4):482–92, Apr 2005.
- [74] D. Hanisch, A. Zien, R. Zimmer, and T. Lengauer. Co-clustering of biological networks and gene expression data. *Bioinformatics*, 2002.
- [75] J. Harborth, S. M. Elbashir, K. Vandeburgh, H. Manninga, S. A. Scaringe, K. Weber, and T. Tuschl. Sequence, chemical, and structural variation of small interfering RNAs and short hairpin RNAs and the effect on mammalian gene silencing. *Antisense Nucleic Acid. Drug. Dev.*, 13(2):83–105, Apr 2003.
- [76] Yuen Ho, Albrecht Gruhler, Adrian Heilbut, Gary D Bader, Lynda Moore, Sally-Lin Adams, Anna Millar, Paul Taylor, Keiryn Bennett, Kelly Boutilier, Lingyun Yang, Cheryl Wolting, Ian Donaldson, Sren Schandorff, Juanita Shewnarane, Mai Vo, Joanne Taggart, Marilyn Goudreault, Brenda Muskat, Cris Alfarano, Danielle Dewar, Zhen Lin, Katerina Michalickova, Andrew R Willems, Holly Sassi, Peter A Nielsen, Karina J Rasmussen, Jens R Andersen, Lene E Johansen, Lykke H Hansen, Hans Jespersen, Alexandre Podtelejnikov, Eva Nielsen, Janne Crawford, Vibeke Poulsen, Birgitte D Srensen, Jesper Matthiesen, Ronald C Hendrickson, Frank Gleeson, Tony Pawson, Michael F Moran, Daniel Durocher, Matthias Mann, Christopher W V Hogue, Daniel Figeys, and Mike Tyers.

Systematic identification of protein complexes in *Saccharomyces cerevisiae* by mass spectrometry. *Nature*, 415(6868):180–3, Jan 2002.

- [77] E. Huang, S. Ishida, J. Pittman, H. Dressman, A. Bild, M. Kloos, M. D’Amico, R. G. Pestell, M. West, and J. R. Nevins. Gene expression phenotypic models that predict the activity of oncogenic pathways. *Nat Genet*, 34(2):226–30, 2003.
- [78] A. Ifantis and S. Papadimitriou. The nonlinear predictability of the electrotelluric field variations data analyzed with support vector machines as an earthquake precursor. *Int J Neural Syst*, 13(5):315–32, Oct 2003.
- [79] T. Ito, T. Chiba, R. Ozawa, M. Yoshida, M. Hattori, and Y. Sakaki. A comprehensive two-hybrid analysis to explore the yeast protein interactome. *Proc. Natl. Acad. Sci. USA*, 98(8):4569–4574, 2001.
- [80] T. Ito, K. Tashiro, S. Muta, R. Ozawa, T. Chiba, M. Nishizawa, K. Yamamoto, S. Kuhara, and Y. Sakaki. Toward a protein-protein interaction map of the budding yeast: A comprehensive system to examine two-hybrid interactions in all possible combinations between the yeast proteins. *Proc. Natl. Acad. Sci. USA*, 93(3):1143–1147, 2000.
- [81] Rudolf Jaenisch and Adrian Bird. Epigenetic regulation of gene expression: how the genome integrates intrinsic and environmental signals. *Nat Genet*, 33 Suppl:245–254, Mar 2003.
- [82] Martin Jambon, Anne Imberty, Gilbert Delage, and Christophe Geourjon. A new bioinformatic approach to detect common 3d sites in protein structures. *Proteins*, 52(2):137–145, Aug 2003.
- [83] H. Jeong, S. P. Mason, A.-L. Barabási, and Z. N. Oltvai. Lethality and centrality in protein networks. *Nature*, 411:41–42, 2001.
- [84] H. Jeong, B. Tombor, R. Albert, Z. N. Oltvai, and A.-L. Barabási. The large-scale organization of metabolic networks. *Nature*, 407:651–654, 2000.
- [85] G. Jones, P. Willett, R. C. Glen, A. R. Leach, and R. Taylor. Development and validation of a genetic algorithm for flexible docking. *J Mol Biol*, 267(3):727–748, Apr 1997.
- [86] Peter A Jones. Dna methylation and cancer. *Oncogene*, 21(35):5358–5360, Aug 2002.
- [87] M. Kanehisa. A database for post-genome analysis. *Trends Genet.*, 13:375–376, 1997.
- [88] M. Kanehisa, S. Goto, S. Kawashima, and A. Nakaya. The KEGG databases at GenomeNet. *Nucleic Acids Res.*, 30:42–46, 2002.

- [89] Matthias Kaper, Peter Meinicke, Ulf Grosse-kathoefer, Thomas Lingner, and Helge Ritter. BCI Competition 2003–Data set IIb: support vector machines for the P300 speller paradigm. *IEEE Trans Biomed Eng*, 51(6):1073–6, Jun 2004.
- [90] Izet M Kapetanovic, Simon Rosenfeld, and Grant Izmirlian. Overview of commonly used bioinformatics methods and their applications. *Ann N Y Acad Sci*, 1020:10–21, May 2004.
- [91] P. D. Karp, C. A. Ouzounis, C. Moore-Kochlacs, L. Goldovsky, P. Kaipa, D. Ahren, S. Tsoka, N. Darzentas, V. Kunin, and N. Lopez-Bigas. Expansion of the BioCyc collection of pathway/genome databases to 160 genomes. *Nucleic Acids Res*, 33(19):6083–9, 2005.
- [92] P. Kharchenko, D. Vitkup, and G. M. Church. Filling gaps in a metabolic network using expression information. *Bioinformatics*, 20 Suppl 1:I178–I185, Aug 2004.
- [93] J. Kim, P.L. Krapivsky, B. Kahng, and S. Redner. Evolving protein interaction networks. E-print cond-mat/0203167, 2001.
- [94] K. H. Kim, S. W. Bang, and S. R. Kim. Emotion recognition system using short-term monitoring of physiological signals. *Med Biol Eng Comput*, 42(3):419–27, May 2004.
- [95] R. I. Kondor and J. Lafferty. Diffusion Kernels on Graphs and Other Discrete Input. In *ICML 2002*, 2002.
- [96] K. Kristiansen, S. G. Dahl, and O. Edvardsen. A database of mutants and effects of site-directed mutagenesis experiments on G protein-coupled receptors. *Proteins*, 26(1):81–94, Sep 1996.
- [97] H. Kubinyi. Chemogenomics in drug discovery. *Ernst Schering Res Found Workshop*, 58:1–19, 2006.
- [98] Stephen LaConte, Stephen Strother, Vladimir Cherkassky, Jon Anderson, and Xiaoping Hu. Support vector machines for temporal classification of block design fMRI data. *Neuroimage*, 26(2):317–29, Jun 2005.
- [99] Thomas Navin Lal, Michael Schrder, Thilo Hinterberger, Jason Weston, Martin Bogdan, Niels Birbaumer, and Bernhard Schalkopf. Support vector channel selection in BCI. *IEEE Trans Biomed Eng*, 51(6):1003–10, Jun 2004.
- [100] Zhiqiang Lao, Dinggang Shen, Zhong Xue, Bilge Karacali, Susan M Resnick, and Christos Davatzikos. Morphological classification of brains via high-dimensional shape transformations and machine learning methods. *Neuroimage*, 21(1):46–57, Jan 2004.

- [101] J. S. Lazo and P. Wipf. Combinatorial chemistry and contemporary pharmacology. *J Pharmacol Exp Ther*, 293(3):705–709, Jun 2000.
- [102] Martin M S Lee, S. Sathiya Keerthi, Chong Jin Ong, and Dennis DeCoste. An efficient method for computing leave-one-out error in support vector machines with Gaussian kernels. *IEEE Trans Neural Netw*, 15(3):750–7, May 2004.
- [103] Jinyan Li, Huiqing Liu, James R Downing, Allen Eng-Juh Yeoh, and Limsoon Wong. Simple rules underlying gene expression profiles of more than six subtypes of acute lymphoblastic leukemia (ALL) patients. *Bioinformatics*, 19(1):71–8, Jan 2003.
- [104] Shutao Li, James Tin-Yau Kwok, Ivor Wai-Hung Tsang, and Yaonan Wang. Fusing images with different focuses using support vector machines. *IEEE Trans Neural Netw*, 15(6):1555–61, Nov 2004.
- [105] H. Liang and Z. Lin. Detection of delayed gastric emptying from electrogastrograms with support vector machine. *IEEE Trans Biomed Eng*, 48(5):601–4, May 2001.
- [106] Tzu-Chao Lin and Pao-Ta Yu. Adaptive two-pass median filter based on support vector machines for image restoration. *Neural Comput*, 16(2):332–53, Feb 2004.
- [107] WuMei Lin, Xin Yuan, Powing Yuen, William I Wei, Jonathan Sham, PengCheng Shi, and Jianan Qu. Classification of in vivo autofluorescence spectra using support vector machines. *J Biomed Opt*, 9(1):180–6, 2004.
- [108] Wei-Zhen Lu and Wen-Jian Wang. Potential assessment of the "support vector machine" method in forecasting ambient air pollutant trends. *Chemosphere*, 59(5):693–701, Apr 2005.
- [109] K. Q. Luo and D. C. Chang. The gene-silencing efficiency of siRNA is strongly dependent on the local structure of mRNA at the targeted region. *Biochem. Biophys. Res. Commun.*, 318(1):303–10, May 2004.
- [110] S. K. Majumder, N. Ghosh, and P. K. Gupta. Support vector machine for optical diagnosis of cancer. *J Biomed Opt*, 10(2):024034, 2005.
- [111] Stephen Marsland, Jonathan Shapiro, and Ulrich Nehmzow. A self-organising network that grows when required. *Neural Netw*, 15(8-9):1041–58, 2002.
- [112] Ann-Marie Martoglio, James W Miskin, Stephen K Smith, and David J C MacKay. A decomposition model to track gene expression signatures: preview on observer-independent classification of ovarian cancer. *Bioinformatics*, 18(12):1617–24, Dec 2002.

- [113] S. Maslov and K. Sneppen. Specificity and stability in topology of protein networks. *Science*, 296:910–913, 2002.
- [114] Alvaro Mateos, Joaquin Dopazo, Ronald Jansen, Yuhai Tu, Mark Gerstein, and Gustavo Stolovitzky. Systematic learning of gene functional classes from DNA array expression data by using multilayer perceptrons. *Genome Res.*, 12(11):1703–15, Nov 2002.
- [115] D. H. Mathews, J. Sabina, M. Zuker, and D. H. Turner. Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. *J Mol Biol*, 288(5):911–940, May 1999.
- [116] Michael Mavroforakis, Harris Georgiou, Nikos Dimitropoulos, Dionisis Cavouras, and Sergios Theodoridis. Significance analysis of qualitative mammographic features, using linear classifiers, neural networks and support vector machines. *Eur J Radiol*, 54(1):80–9, Apr 2005.
- [117] Torsten Mayr, Christian Igel, Gregor Liebsch, Ingo Klimant, and Otto S Wolfbeis. Cross-reactive metal ion sensor array in a micro titer plate format. *Anal Chem*, 75(17):4389–96, Sep 2003.
- [118] Dong mei Qin, Zhan yi Hu, and Yong heng Zhao. Automated classification of celestial spectra based on support vector machines. *Guang Pu Xue Yu Guang Pu Fen Xi*, 24(4):507–11, Apr 2004.
- [119] Charles A Micchelli and Massimiliano Pontil. On learning vector-valued functions. *Neural Comput*, 17(1):177–204, Jan 2005.
- [120] F. Miwakeichi, R. Ramirez-Padron, P. A. Valdes-Sosa, and T. Ozaki. A comparison of non-linear non-parametric models for epilepsy data. *Comput. Biol. Med.*, 31(1):41–57, Jan 2001.
- [121] B. Mohar. The Laplacian spectrum of graphs. In Y. Alavi, G. Chartrand, O. Ollermann, and A. Schwenk, editors, *Graph theory, combinatorics, and applications*, pages 871–898, New-York, 1991. John Wiley and Sons, Inc.
- [122] B. Mohar. Some applications of Laplace eigenvalues of graphs. In G. Hahn and G. Sabidussi, editors, *Graph Symmetry: Algebraic Methods and Applications*, volume 497 of *NATO ASI Series C*, pages 227–275. Kluwer, Dordrecht, 1997.
- [123] M. Molloy and B. Reed. A critical point for random graphs with a given degree sequence. *Random Struct. Algorithm.*, 6:161–179, 1995.
- [124] M. Molloy and B. Reed. The size of the giant component of a random graph with a given degree sequence. *Combinator. Probab. Comput.*, 7:295–305, 1998.
- [125] M. E. J. Newman. Random graphs as models of networks. In S. Bornholdt and H. G. Schuster, editors, *Handbook of Graphs and Networks*. Wiley-VCH, Berlin, 2002. To appear.

- [126] Mark E. J. Newman, Steven H. Strogatz, and Duncan J. Watts. Random graphs with arbitrary degree distributions and their applications. *Phys. Rev. E*, 64:26118, 2001.
- [127] M. Opper and R. Urbanczik. Universal learning curves of support vector machines. *Phys Rev Lett*, 86(19):4410–3, May 2001.
- [128] M. Opper and O. Winther. Gaussian processes for classification: mean-field algorithms. *Neural Comput*, 12(11):2655–84, Nov 2000.
- [129] Andrea Passerini, Massimiliano Pontil, and Paolo Frasconi. New results on error correcting output codes of kernel machines. *IEEE Trans Neural Netw*, 15(1):45–54, Jan 2004.
- [130] R. Pastor-Satorras, E. D. Smith, and R. V. Solé. Evolving protein interaction networks through gene duplication. Technical report, Santa Fe Institute, 2002. Working paper 02-02-008.
- [131] Paul Pavlidis, Ilan Wapinski, and William Stafford Noble. Support vector machine classification on the web. *Bioinformatics*, 20(4):586–7, Mar 2004.
- [132] Bjoern Peters, Huynh-Hoa Bui, Sune Frankild, Morten Nielson, Claus Lundegaard, Emrah Kostem, Derek Basch, Kasper Lamberth, Mikkel Harndahl, Ward Fleri, Stephen S Wilson, John Sidney, Ole Lund, Soren Buus, and Alessandro Sette. A community resource benchmarking predictions of peptide binding to MHC-I molecules. *PLoS Comput Biol*, 2(6):e65, Jun 2006.
- [133] Bjoern Peters and Alessandro Sette. Generating quantitative models describing the sequence specificity of biological processes with the stabilized matrix method. *BMC Bioinformatics*, 6:132, 2005.
- [134] J. Podani, Z.N. Oltvai, H. Jeong, B. Tombor, A.-L. Barabási, and E. Szathmáry. Comparable system-level organization of Archaea and Eukaryotes. *Nat. Genet.*, 29:54–56, 2001.
- [135] Poggio and Girosi. A Sparse Representation for Function Approximation. *Neural Comput*, 10(6):1445–54, Jul 1998.
- [136] M. Pontil and A. Verri. Properties of support vector machines. *Neural Comput*, 10(4):955–74, May 1998.
- [137] K. N Bhanu Prakash, A. G. Ramakrishnan, S. Suresh, and Teresa W P Chow. Fetal lung maturity analysis using ultrasound image features. *IEEE Trans Inf Technol Biomed*, 6(1):38–45, Mar 2002.
- [138] Fernando Prez-Cruz, Carlos Bousoo-Calzn, and Antonio Arts-Rodríguez. Convergence of the IRWLS Procedure to the Support Vector Machine Solution. *Neural Comput*, 17(1):7–18, Jan 2005.

- [139] J. Qian, N. M. Luscombe, and M. Gerstein. Protein Fold and Family Occurrence in Genomes: Power-Law Behaviour and Evolutionary Model. *J. Mol. Biol.*, 313:673–681, 2001.
- [140] Zhong Qin, Qiang Yu, Jun Li, Zhi-Yi Wu, and Bing-Min Hu. Application of least squares vector machines in modelling water vapor and carbon dioxide fluxes over a cropland. *J Zhejiang Univ Sci*, 6(6):491–5, Jun 2005.
- [141] J.-C. Rain, L. Selig, H. De Reuse, V. Battaglia, C. Reverdy, S. Simon, G. Lenzen, F. Petel, J. Wojcik, V. Schächter, Y. Chemama, A. Labigne, and P. Legrain. The protein-protein interaction map of *Helicobacter pylori*. *Nature*, 409:211–215, 2001.
- [142] H. Rammensee, J. Bachmann, N. P. Emmerich, O. A. Bachor, and S. Stevanović. Syfpeithi: database for MHC ligands and peptide motifs. *Immunogenetics*, 50(3-4):213–219, Nov 1999.
- [143] M. Rarey, B. Kramer, T. Lengauer, and G. Klebe. A fast flexible docking method using an incremental construction algorithm. *J Mol Biol*, 261(3):470–489, Aug 1996.
- [144] S. Raudys. How good are support vector machines? *Neural Netw*, 13(1):17–9, Jan 2000.
- [145] P. Rice, I. Longden, and A. Bleasby. Emboss: the european molecular biology open software suite. *Trends Genet*, 16(6):276–277, Jun 2000.
- [146] Risau-Gusman and Gordon. Generalization properties of finite-size polynomial support vector machines. *Phys Rev E Stat Phys Plasmas Fluids Relat Interdiscip Topics*, 62(5 Pt B):7092–9, Nov 2000.
- [147] S. Risau-Gusman and M. B. Gordon. Statistical mechanics of learning with soft margin classifiers. *Phys Rev E Stat Nonlin Soft Matter Phys*, 64(3 Pt 1):031907, Sep 2001.
- [148] Volker Roth. The generalized LASSO. *IEEE Trans Neural Netw*, 15(1):16–28, Jan 2004.
- [149] Volker Roth and Tilman Lange. Bayesian class discovery in microarray datasets. *IEEE Trans Biomed Eng*, 51(5):707–718, May 2004.
- [150] H. Salgado, S. Gama-Castro, M. Peralta-Gil, E. Díaz-Peredo, F. Sánchez-Solano, A. Santos-Zavaleta, I. Martínez-Flores, V. Jiménez-Jacinto, C. Bonavides-Martínez, J. Segura-Salazar, A. Martínez-Antonio, and J. Collado-Vides. RegulonDB (version 5.0): *Escherichia coli* K-12 transcriptional regulatory network, operon organization, and growth conditions. *Nucleic Acids Res.*, 34(Database issue):D394–D397, Jan 2006.
- [151] J. Salomon and D. R. Flower. Predicting Class II MHC-Peptide binding: a kernel based approach using similarity scores. *BMC Bioinformatics*, 7:501, 2006.

- [152] Pamela A Sample, Michael H Goldbaum, Kwokleung Chan, Catherine Boden, Te-Won Lee, Christiana Vasile, Andreas G Boehm, Terrence Sejnowski, Chris A Johnson, and Robert N Weinreb. Using machine learning classifiers to identify glaucomatous change earlier in standard visual fields. *Invest Ophthalmol Vis Sci*, 43(8):2660–5, Aug 2002.
- [153] Alexander P Sassi, Frank Andel, Hans-Marcus L Bitter, Michael P S Brown, Robert G Chapman, Jeraldine Espiritu, Alfred C Greenquist, Isabelle Guyon, Mariana Horchi-Alegre, Kathy L Stults, Ann Wainright, Jonathan C Heller, and John T Stults. An automated, sheathless capillary electrophoresis-mass spectrometry platform for discovery of biomarkers in human serum. *Electrophoresis*, 26(7-8):1500–12, Apr 2005.
- [154] G. Schneider and P. Wrede. Artificial neural networks for computer-based molecular design. *Prog Biophys Mol Biol*, 70(3):175–222, 1998.
- [155] Jonathan Sebat. Major changes in our dna lead to major changes in our thinking. *Nat Genet*, 39(7 Suppl):S3–S5, Jul 2007.
- [156] Matthias Seeger. Gaussian processes for machine learning. *Int J Neural Syst*, 14(2):69–106, Apr 2004.
- [157] J. H. Seol, A. Shevchenko, A. Shevchenko, and R. J. Deshaies. Skp1 forms multiple protein complexes, including RAVE, a regulator of V-ATPase assembly. *Nat Cell Biol*, 3(4):384–91, Apr 2001.
- [158] A. Sette and J. Sidney. HLA supertypes and supermotifs: a functional perspective on HLA polymorphism. *Curr Opin Immunol*, 10(4):478–482, Aug 1998.
- [159] A. Sette and J. Sidney. Nine major HLA class I supertypes account for the vast preponderance of HLA-A and -B polymorphism. *Immunogenetics*, 50(3-4):201–212, Nov 1999.
- [160] William Shannon, Robert Culverhouse, and Jill Duncan. Analyzing microarray data using cluster analysis. *Pharmacogenomics*, 4(1):41–52, Jan 2003.
- [161] Li Shen, Jie Yang, and Yue Zhou. Detection of PVCs with support vector machine. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*, 22(1):78–81, Feb 2005.
- [162] D. Shi, D. S. Yeung, and J. Gao. Sensitivity analysis applied to the construction of radial basis function networks. *Neural Netw*, Jun 2005.
- [163] Ali Shoeb, Herman Edwards, Jack Connolly, Blaise Bourgeois, S. Ted Treves, and John Guttag. Patient-specific seizure onset detection. *Epilepsy Behav*, 5(4):483–98, Aug 2004.

- [164] F. Slanina and M. Kotrla. Random networks created by biological evolution. *Phys. Rev. E*, 62(5):6170–6177, 2000.
- [165] P. A. Smith, M. J. Sorich, L. S C Low, R. A. McKinnon, and J. O. Miners. Towards integrated ADME prediction: past, present and future directions for modelling metabolism by UDP-glucuronosyltransferases. *J Mol Graph Model*, 22(6):507–17, Jul 2004.
- [166] R. V. Solé, R. Pastor-Satorras, E. D. Smith, and T. Kepler. A Model of Large-Scale Proteome Evolution. Technical report, Santa Fe Institute, 2001. Working paper 01-08-041.
- [167] Minghu Song, Curt M Breneman, Jinbo Bi, N. Sukumar, Kristin P Bennett, Steven Cramer, and Nihal Tugcu. Prediction of protein retention times in anion-exchange chromatography systems using support vector regression. *J Chem Inf Comput Sci*, 42(6):1347–57, 2002.
- [168] Xiaowei Song, Arnold Mitnitski, Jafna Cox, and Kenneth Rockwood. Comparison of machine learning techniques with classical statistical models in predicting health outcomes. *Medinfo*, 11(Pt 1):736–40, 2004.
- [169] P. F. Stadler. Landscapes and Their Correlation Functions. *J. Math. Chem.*, 20:1–45, 1996.
- [170] Florence L Stahura and Jrgen Bajorath. Virtual screening methods that complement HTS. *Comb Chem High Throughput Screen*, 7(4):259–69, Jun 2004.
- [171] S. S. Strogatz. Exploring complex networks. *Nature*, 410:268–276, 2001.
- [172] Alexander Sturn, John Quackenbush, and Zlatko Trajanoski. Genesis: cluster analysis of microarray data. *Bioinformatics*, 18(1):207–8, Jan 2002.
- [173] M. Sultan, D. A. Wigle, C. A. Cumbaa, M. Maziarz, J. Glasgow, M. S. Tsao, and I. Jurisica. Binary tree-structured vector quantization approach to clustering and visualizing microarray data. *Bioinformatics*, 18 Suppl 1:S111–9, 2002.
- [174] J. A. Suykens, J. Vandewalle, and B. De Moor. Optimal control by least squares support vector machines. *Neural Netw*, 14(1):23–35, Jan 2001.
- [175] Nobuhiro Takahashi, Mitsuaki Yanagida, Sally Fujiyama, Toshiya Hayano, and Toshiaki Isobe. Proteomic snapshot analyses of preribosomal ribonucleoprotein complexes formed at various stages of ribosome biogenesis in yeast and mammalian cells. *Mass Spectrom Rev*, 22(5):287–317, 2003.
- [176] Norikazu Takahashi and Tetsuo Nishi. Rigorous proof of termination of SMO algorithm for support vector machines. *IEEE Trans Neural Netw*, 16(3):774–6, May 2005.

- [177] A. Talukder and D. Casasent. A closed-form neural network for discriminatory feature extraction from high-dimensional data. *Neural Netw*, 14(9):1201–18, Nov 2001.
- [178] R. D. Teixeira, A. P. Braga, R. H. Takahashi, and R. R. Saldanha. Recent advances in the MOBJ algorithm for training artificial neural networks. *Int J Neural Syst*, 11(3):265–70, Jun 2001.
- [179] Sushil K Thukral, Paul J Nordone, Rong Hu, Leah Sullivan, Eric Galambos, Vincent D Fitzpatrick, Laura Healy, Michael B Bass, Mary E Cosenza, and Cynthia A Afshari. Prediction of nephrotoxicant action and identification of candidate toxicity-related biomarkers. *Toxicol Pathol*, 33(3):343–55, 2005.
- [180] Liang Tian and Afzel Noore. A novel approach for short-term load forecasting using support vector machines. *Int J Neural Syst*, 14(5):329–35, Oct 2004.
- [181] W. L. Tung and C. Quek. GenSo-FDSS: a neural-fuzzy decision support system for pediatric ALL cancer subtype identification using gene expression data. *Artif. Intell. Med.*, 33(1):61–88, Jan 2005.
- [182] Huey-Ming Tzeng, Jer-Guang Hsieh, and Yih-Lon Lin. Predicting nurses’ intention to quit with a support vector machine: a new approach to set up an early warning mechanism in human resource management. *Comput Inform Nurs*, 22(4):232–42, 2004.
- [183] P. Uetz, L. Giot, G. Cagney, T. A. Mansfield, R. S. Judson, J. R. Knight, D. Lockshon, V. Narayan, M. Srinivasan, P. Pochart, A. Qureshi-Emili, Y. Li, B. Godwin, D. Conover, T. Kalbfleish, G. Vijayadamodar, M. Yang, M. Johnston, S. Fields, and J. M. Rothberg. A comprehensive analysis of protein-protein interactions in *Saccharomyces cerevisiae*. *Nature*, 403:623–627, 2000.
- [184] H. van der Holst. *Topological and spectral graph characterizations*. PhD thesis, Universiteit van Amsterdam, 1996.
- [185] V. Vapnik and O. Chapelle. Bounds on error expectation for support vector machines. *Neural Comput*, 12(9):2013–36, Sep 2000.
- [186] A. Vazquez, A. Flammini, A. Maritan, and A. Vespignani. Modeling of protein interaction networks. E-print cond-mat/0108043, Aug 2001.
- [187] W. Vercoutere, S. Winters-Hilt, H. Olsen, D. Deamer, D. Haussler, and M. Akeson. Rapid discrimination among individual DNA hairpin molecules at single-nucleotide resolution using an ion channel. *Nat Biotechnol*, 19(3):248–52, Mar 2001.

- [188] A. Wagner. The Yeast Protein Interaction Network Evolves Rapidly and Contains Few Redundant Duplicate Genes. *Mol. Biol. Evol.*, 18:1283–1292, 2001.
- [189] Grace Wahba. Soft and hard classification by reproducing kernel Hilbert space methods. *Proc Natl Acad Sci U S A*, 99(26):16524–30, Dec 2002.
- [190] Kai Wang, Ekachai Jenwitheesuk, Ram Samudrala, and John E Mittler. Simple linear model provides highly accurate genotypic predictions of HIV-1 drug resistance. *Antivir Ther*, 9(3):343–52, Jun 2004.
- [191] Zhong Wang, Mark Gerstein, and Michael Snyder. Rna-seq: a revolutionary tool for transcriptomics. *Nat Rev Genet*, 10(1):57–63, Jan 2009.
- [192] Scott R Waterman and P. L C Small. Transcriptional expression of escherichia coli glutamate-dependent acid resistance genes gada and gadbc in an hns rpos mutant. *J Bacteriol*, 185(15):4644–4647, Aug 2003.
- [193] D. J. Watts and S. H. Strogatz. Collective dynamics of 'small-world' networks. *Nature*, 393:440–442, 1998.
- [194] Griffin Weber, Staal Vinterbo, and Lucila Ohno-Machado. Building an asynchronous web-based tool for machine learning classification. *Proc AMIA Symp*, pages 869–73, 2002.
- [195] W. J. Wilbur. Boosting na ve Bayesian learning on a large subset of MEDLINE. *Proc AMIA Symp*, pages 918–22, 2000.
- [196] Stephen Winters-Hilt and Mark Akeson. Nanopore cheminformatics. *DNA Cell Biol*, 23(10):675–83, Oct 2004.
- [197] H. Xia, Q. Mao, S. L. Eliason, S. Q. Harper, I. H. Martins, H. T. Orr, H. L. Paulson, L. Yang, R. M. Kotin, and B. L. Davidson. RNAi suppresses polyglutamine-induced neurodegeneration in a model of spinocerebellar ataxia. *Nat. Med.*, 10(8):816–820, Aug 2004.
- [198] Lei Xie, Li Xie, and Philip E Bourne. A unified statistical model to support local sequence order independent similarity searching for ligand-binding sites and its application to genome-based drug discovery. *Bioinformatics*, 25(12):i305–i312, Jun 2009.
- [199] Jian xiong Dong, Adam Krzyzak, and Ching Y Suen. Fast SVM training algorithm with decomposition on very large data sets. *IEEE Trans Pattern Anal Mach Intell*, 27(4):603–18, Apr 2005.
- [200] Zheng Rong Yang. Biological applications of support vector machines. *Brief Bioinform*, 5(4):328–38, Dec 2004.
- [201] S. H. Yook, H. Jeong, Y. Tu, and A.-L. Barabási. Weighted evolution networks. *Phys. Rev. Lett.*, 86(25):5835–5838, 2001.

- [202] G. L. Zhang, A. M. Khan, K. N. Srinivasan, J. T. August, and V. Brusic. MULTIPRED: a computational system for prediction of promiscuous HLA binding peptides. *Nucleic Acids Res*/, 33(Web Server issue):W172–W179, Jul 2005.
- [203] Z. Zhang and M.G. Grigorov. Similarity networks of protein binding sites. *Proteins*, 62(2):470–478, Feb 2006.
- [204] Y. Zhao, C. Pinilla, D. Valmori, R. Martin, and R. Simon. Application of support vector machines for T-cell epitopes prediction. *Bioinformatics*, 19(15):1978–1984, Oct 2003.
- [205] GuoDong Zhou, Jie Zhang, Jian Su, Dan Shen, and ChewLim Tan. Recognizing names in biomedical texts: a machine learning approach. *Bioinformatics*, 20(7):1178–90, May 2004.
- [206] Lingyun Zhu, Baoming Wu, and Changxiu Cao. Introduction to medical data mining. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*, 20(3):559–62, Sep 2003.
- [207] Simeone Zomer, Christelle Guillo, Richard G Brereton, and Melissa Hanna-Brown. Toxicological classification of urine samples using pattern recognition techniques and capillary electrophoresis. *Anal Bioanal Chem*, 378(8):2008–20, Apr 2004.
- [208] Hui Zou and Trevor Hastie. Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society B*, 67:301–320, 2005.