

# prot

October 12, 2009

## References

- [1] D.C. Anderson, W. Li, D.G. Payan, and W.S. Noble. A new algorithm for the evaluation of shotgun peptide sequencing in proteomics: support vector machine classification of peptide MS/MS spectra and SEQUEST scores. *J Proteome Res*, 2(2):137–146, 2003.
- [2] M. Arakawa, K. Hasegawa, and K. Funatsu. Application of the novel molecular alignment method using the Hopfield Neural Network to 3D-QSAR. *J Chem Inf Comput Sci*, 43(5):1396–1402, 2003.
- [3] Tirusew Asefa, Mariush Kembrowski, Gilberto Urroz, and Mac McKee. Support vector machines (SVMs) for monitoring network design. *Ground Water*, 43(3):413–22, 2005.
- [4] T. K. Attwood, P. Bradley, D. R. Flower, A. Gaulton, N. Maudling, A. L. Mitchell, G. Moulton, A. Nordle, K. Paine, P. Taylor, A. Uddin, and C. Zygouri. Prints and its automatic supplement, preprints. *Nucleic Acids Res*, 31(1):400–402, Jan 2003.
- [5] Shai Avidan. Support vector tracking. *IEEE Trans Pattern Anal Mach Intell*, 26(8):1064–72, Aug 2004.
- [6] Harmohina Bagga, David S Greenfield, and William J Feuer. Quantitative assessment of atypical birefringence images using scanning laser polarimetry with variable corneal compensation. *Am J Ophthalmol*, 139(3):437–46, Mar 2005.
- [7] A. M. Bagirov, B. Ferguson, S. Ivkovic, G. Saunders, and J. Yearwood. New algorithms for multi-class cancer diagnosis using tumor gene expression signatures. *Bioinformatics*, 19(14):1800–7, Sep 2003.
- [8] Pantelis G Bagos, Theodore D Liakopoulos, and Stavros J Hamodrakas. Evaluation of methods for predicting the topology of beta-barrel outer membrane proteins and a consensus prediction method. *BMC Bioinformatics*, 6(1):7, Jan 2005.

- [9] J. Ballesteros and K. Palczewski. G protein-coupled receptor drug discovery: implications from the crystal structure of rhodopsin. *Curr. Opin. Drug Discov. Devel.*, 4(5):561–574, Sep 2001.
- [10] G. Baudat and F. Anouar. Generalized discriminant analysis using a kernel approach. *Neural Comput*, 12(10):2385–404, Oct 2000.
- [11] C. Baumgartner, C. Bohm, D. Baumgartner, G. Marini, K. Weinberger, B. Olgemoller, B. Liebl, and A. A. Roscher. Supervised machine learning techniques for the classification of metabolic disorders in newborns. *Bioinformatics*, 20(17):2985–2996, 2004.
- [12] Rezaul K Begg, Marimuthu Palaniswami, and Brendan Owen. Support vector machines for automated gait classification. *IEEE Trans Biomed Eng*, 52(5):828–38, May 2005.
- [13] Monica Benito, Joel Parker, Quan Du, Junyuan Wu, Dong Xiang, Charles M Perou, and J. S. Marron. Adjustment of systematic microarray data biases. *Bioinformatics*, 20(1):105–14, Jan 2004.
- [14] M. Bern, D. Goldberg, W. H. McDonald, and III Yates, J. R. Automatic Quality Assessment of Peptide Tandem Mass Spectra. *Bioinformatics*, 20(Suppl. 1):i49–i54, 2004.
- [15] F. C. Bernstein, T. F. Koetzle, G. J. Williams, E. F. Meyer, M. D. Brice, J. R. Rodgers, O. Kennard, T. Shimanouchi, and M. Tasumi. The protein data bank: a computer-based archival file for macromolecular structures. *J Mol Biol*, 112(3):535–542, May 1977.
- [16] Manoj Bhasin, Harpreet Singh, and G. P S Raghava. MHCBN: a comprehensive database of MHC binding and non-binding peptides. *Bioinformatics*, 19(5):665–666, Mar 2003.
- [17] S. Bhavani, A. Nagargadde, A. Thawani, V. Sridhar, and N. Chandra. Substructure-based support vector machine classifiers for prediction of adverse effects in diverse classes of drugs. *J Chem Inf Model*, 46(6):2478–2486, 2006.
- [18] K. H. Bleicher, H.-J. Böhm, K. Müller, and A. I. Alanine. Hit and lead generation: beyond high-throughput screening. *Nat Rev Drug Discov*, 2(5):369–378, May 2003.
- [19] Mary Ellen Bock, Claudio Garutti, and Conettina Guerra. Effective labeling of molecular surface points for cavity detection and location of putative binding sites. *Comput Syst Bioinformatics Conf*, 6:263–274, 2007.
- [20] J. Boström. Reproducing the conformations of protein-bound ligands: a critical evaluation of several popular conformational searching tools. *J Comput Aided Mol Des*, 15(12):1137–1152, Dec 2001.

- [21] Christopher Bowd, Kwokleung Chan, Linda M Zangwill, Michael H Goldbaum, Te-Won Lee, Terrence J Sejnowski, and Robert N Weinreb. Comparing neural networks and linear discriminant functions for glaucoma detection using confocal scanning laser ophthalmoscopy of the optic disc. *Invest Ophthalmol Vis Sci*, 43(11):3444–54, Nov 2002.
- [22] Christopher Bowd, Linda M Zangwill, Felipe A Medeiros, Jiucang Hao, Kwokleung Chan, Te-Won Lee, Terrence J Sejnowski, Michael H Goldbaum, Pamela A Sample, Jonathan G Crowston, and Robert N Weinreb. Confocal scanning laser ophthalmoscopy classifiers and stereophotograph evaluation for prediction of visual field abnormalities in glaucoma-suspect eyes. *Invest Ophthalmol Vis Sci*, 45(7):2255–62, Jul 2004.
- [23] V. Brusic, N. Petrovsky, G. Zhang, and V. B. Bajic. Prediction of promiscuous peptides that bind HLA class I molecules. *Immunol. Cell Biol.*, 80(3):280–285, Jun 2002.
- [24] H.-H. Bui, A. J. Schiewe, H. von Grafenstein, and I. S. Haworth. Structural prediction of peptides binding to MHC class I molecules. *Proteins*, 63(1):43–52, Apr 2006.
- [25] Huynh-Hoa Bui, John Sidney, Bjoern Peters, Muthuraman Sathiamurthy, Asabe Sinichi, Kelly-Anne Purton, Bianca R Mothé, Francis V Chisari, David I Watkins, and Alessandro Sette. Automated generation and evaluation of specific mhc binding predictive tools: Arb matrix applications. *Immunogenetics*, 57(5):304–314, Jun 2005.
- [26] S. Buus, S. L. Lauemøller, P. Worning, C. Kesmir, T. Frimurer, S. Corbet, A. Fomsgaard, J. Hilden, A. Holm, and S. Brunak. Sensitive quantitative predictions of peptide-MHC binding by a 'query by committee' artificial neural network approach. *Tissue Antigens*, 62(5):378–384, Nov 2003.
- [27] Renato Campanini, Danilo Dongiovanni, Emiro Iampieri, Nico Lanconelli, Matteo Masotti, Giuseppe Palermo, Alessandro Riccardi, and Matteo Roffilli. A novel featureless approach to mass detection in digital mammograms based on support vector machines. *Phys Med Biol*, 49(6):961–75, Mar 2004.
- [28] Ian Chan, William Wells, Robert V Mulkern, Steven Haker, Jianqing Zhang, Kelly H Zou, Stephan E Maier, and Clare M C Tempany. Detection of prostate cancer by integration of line-scan diffusion, T2-mapping and T2-weighted magnetic resonance imaging; a multichannel statistical classifier. *Med Phys*, 30(9):2390–8, Sep 2003.
- [29] Kwokleung Chan, Te-Won Lee, Pamela A Sample, Michael H Goldbaum, Robert N Weinreb, and Terrence J Sejnowski. Comparison of machine learning and traditional classifiers in glaucoma diagnosis. *IEEE Trans Biomed Eng*, 49(9):963–74, Sep 2002.

- [30] S. K. Chanda and J. S. Caldwell. Fulfilling the promise: drug discovery in the post-genomic era. *Drug Discov Today*, 8(4):168–174, Feb 2003.
- [31] R. Chenna, H. Sugawara, T. Koike, R. Lopez, T. J. Gibson, D. G. Higgins, and J. D. Thompson. Multiple sequence alignment with the Clustal series of programs. *Nucleic Acids Res.*, 31(13):3497–3500, Jul 2003.
- [32] Vladimir Cherkassky and Yunqian Ma. Practical selection of SVM parameters and noise estimation for SVM regression. *Neural Netw*, 17(1):113–26, Jan 2004.
- [33] K.-C. Chou. Prediction of protein signal sequences and their cleavage sites. *Protein. Struct. Funct. Genet.*, 42:136–139, 2001.
- [34] K.-C. Chou. Using subsite coupling to predict signal peptides. *Protein Eng.*, 14(2):75–79, 2001.
- [35] Kai-Min Chung, Wei-Chun Kao, Chia-Liang Sun, Li-Lun Wang, and Chih-Jen Lin. Radius margin bounds for support vector machines with the RBF kernel. *Neural Comput*, 15(11):2643–81, Nov 2003.
- [36] Gilles Cohen, Mélanie Hilario, Hugo Sax, Stphane Hugonnet, Christian Pellegrini, and Antoine Geissbuhler. An application of one-class support vector machine to nosocomial infection detection. *Medinfo*, 11(Pt 1):716–20, 2004.
- [37] Jason C Cole, Christopher W Murray, J. Willem M Nissink, Richard D Taylor, and Robin Taylor. Comparing protein-ligand docking programs is difficult. *Proteins*, 60(3):325–332, Aug 2005.
- [38] Ronan Collobert, Samy Bengio, and Yoshua Bengio. A parallel mixture of SVMs for very large scale problems. *Neural Comput*, 14(5):1105–14, May 2002.
- [39] James A R Dalton and Richard M Jackson. An evaluation of automated homology modelling methods at low target template sequence similarity. *Bioinformatics*, 23(15):1901–1908, Aug 2007.
- [40] Georges A Darbellay, Rebecca Duff, Jean-Marc Vesin, Paul-Andr Despland, Dirk W Droste, Carlos Molina, Joachim Serena, Roman Sztajzel, Patrick Ruchat, Theodoros Karapanayiotides, Afksendyios Kalangos, Julien Bogousslavsky, Erich B Ringelstein, and Grald Devuyt. Solid or gaseous circulating brain emboli: are they separable by transcranial ultrasound? *J Cereb Blood Flow Metab*, 24(8):860–8, Aug 2004.
- [41] C. Debouck and P. N. Goodfellow. DNA microarrays in drug discovery and development. *Nat Genet*, 21(1 Suppl):48–50, Jan 1999.
- [42] Jayne L Dennis and Karin A Oien. Hunting the primary: novel strategies for defining the origin of tumours. *J Pathol*, 205(2):236–47, Jan 2005.

- [43] Vikas Dhingra, Mukta Gupta, Tracy Andacht, and Zhen F Fu. New frontiers in proteomics research: a perspective. *Int J Pharm*, 299(1-2):1–18, Aug 2005.
- [44] Casey Diekman, Wei He, Nagabhushana Prabhu, and Harvey Cramer. Hybrid methods for automated diagnosis of breast tumors. *Anal Quant Cytol Histol*, 25(4):183–90, Aug 2003.
- [45] Chris Ding and Hanchuan Peng. Minimum redundancy feature selection from microarray gene expression data. *J Bioinform Comput Biol*, 3(2):185–205, Apr 2005.
- [46] Marko Djordjevic, Anirvan M Sengupta, and Boris I Shraiman. A biophysical approach to transcription factor binding site discovery. *Genome Res.*, 13(11):2381–90, Nov 2003.
- [47] Hai-Long Dong and Yan-Fang Sui. Prediction of HLA-A2-restricted CTL epitope specific to HCC by SYFPEITHI combined with polynomial method. *World J Gastroenterol*, 11(2):208–211, Jan 2005.
- [48] Pierre Dönnes and Arne Elofsson. Prediction of MHC class I binding peptides, using SVMHC. *BMC Bioinformatics*, 3:25, Sep 2002.
- [49] Irimi A Doytchinova, Pingping Guan, and Darren R Flower. Identifying human MHC supertypes using bioinformatic methods. *J Immunol*, 172(7):4314–4323, Apr 2004.
- [50] S. Dreiseitl, L. Ohno-Machado, H. Kittler, S. Vinterbo, H. Billhardt, and M. Binder. A comparison of machine learning methods for the diagnosis of pigmented skin lesions. *J Biomed Inform*, 34(1):28–36, Feb 2001.
- [51] Justis P Ehlers and J. William Harbour. NBS1 expression as a prognostic marker in uveal melanoma. *Clin. Cancer Res.*, 11(5):1849–53, Mar 2005.
- [52] S. Ekins, B. Boulanger, P. W. Swaan, and M. A. Z. Hupcey. Towards a new age of virtual ADME/TOX and multidimensional drug discovery. *J Comput Aided Mol Des*, 16(5-6):381–401, 2002.
- [53] I. El-Naqa, Y. Yang, N. P. Galatsanos, R. M. Nishikawa, and M. N. Wernick. A similarity learning approach to content-based image retrieval: application to digital mammography. *IEEE Trans Med Imaging*, 23(10):1233–44, Oct 2004.
- [54] I. El-Naqa, Y. Yang, M. N. Wernick, N. P. Galatsanos, and R. M. Nishikawa. A support vector machine approach for detection of microcalcifications. *IEEE Trans Med Imaging*, 21(12):1552–63, Dec 2002.
- [55] Theres Fagerberg, Jean-Charles Cerottini, and Olivier Michielin. Structural prediction of peptides bound to MHC class I. *J Mol Biol*, 356(2):521–546, Feb 2006.

- [56] Olivier Faugeras, Geoffray Adde, Guillaume Charpiat, Christophe Chef d'hotel, Maureen Clerc, Thomas Deneux, Rachid Deriche, Gerardo Hermosillo, Renaud Keriven, Pierre Kornprobst, Jan Kybic, Christophe Lenglet, Lucero Lopez-Perez, Tho Papadopoulo, Jean-Philippe Pons, Florent Segonne, Bertrand Thirion, David Tschumperl, Thierry Viville, and Nicolas Wotawa. Variational, geometric, and statistical methods for modeling brain anatomy and function. *Neuroimage*, 23 Suppl 1:S46–55, 2004.
- [57] Roberto Fdez Galn, Silke Sachse, C. Giovanni Galizia, and Andreas V M Herz. Odor-driven attractor dynamics in the antennal lobe allow for simple and rapid olfactory pattern classification. *Neural Comput*, 16(5):999–1012, May 2004.
- [58] Anne-Claude Gavin, Markus Bsche, Roland Krause, Paola Grandi, Martina Marzioch, Andreas Bauer, Jrg Schultz, Jens M Rick, Anne-Marie Michon, Cristina-Maria Cruciat, Marita Remor, Christian Hfert, Malgorzata Schelder, Miro Brajenovic, Heinz Ruffner, Alejandro Merino, Karin Klein, Manuela Hudak, David Dickson, Tatjana Rudi, Volker Gnau, Angela Bauch, Sonja Bastuck, Bettina Huhse, Christina Leutwein, Marie-Anne Heurtier, Richard R Copley, Angela Edelmann, Erich Querfurth, Vladimir Rybin, Gerard Drewes, Manfred Raida, Tewis Bouwmeester, Peer Bork, Bertrand Seraphin, Bernhard Kuster, Gitte Neubauer, and Giulio Superti-Furga. Functional organization of the yeast proteome by systematic analysis of protein complexes. *Nature*, 415(6868):141–7, Jan 2002.
- [59] Xijin Ge, Shuichi Tsutsumi, Hiroyuki Aburatani, and Shuichi Iwata. Reducing false positives in molecular pattern recognition. *Genome Inform Ser Workshop Genome Inform*, 14:34–43, 2003.
- [60] U. Gether. Uncovering molecular mechanisms involved in activation of g protein-coupled receptors. *Endocr Rev*, 21(1):90–113, Feb 2000.
- [61] Girosi. An Equivalence Between Sparse Approximation and Support Vector Machines. *Neural Comput*, 10(6):1455–80, Jul 1998.
- [62] F. Glaser, R. J. Morris, R. J. Najmanovich, R. A. Laskowski, and J. M. Thornton. A method for localizing ligand binding pockets in protein structures. *Proteins*, 62(2):479–488, February 2006.
- [63] Dimitris Glotsos, Panagiota Spyridonos, Dionisis Cavouras, Panagiota Ravazoula, Petroula-Arampantoni Dadioti, and George Nikiforidis. Automated segmentation of routinely hematoxylin-eosin-stained microscopic images by combining support vector machine clustering and active contour models. *Anal Quant Cytol Histol*, 26(6):331–40, Dec 2004.
- [64] Dimitris Glotsos, Panagiota Spyridonos, Panagiotis Petalas, Dionisis Cavouras, Panagiota Ravazoula, Petroula-Arampatoni Dadioti, Ioanna Lekka, and George Nikiforidis. Computer-based malignancy grading of

astrocytomas employing a support vector machine classifier, the WHO grading system and the regular hematoxylin-eosin diagnostic staining procedure. *Anal Quant Cytol Histol*, 26(2):77–83, Apr 2004.

- [65] Michael H Goldbaum, Pamela A Sample, Kwokleung Chan, Julia Williams, Te-Won Lee, Eytan Blumenthal, Christopher A Girkin, Linda M Zangwill, Christopher Bowd, Terrence Sejnowski, and Robert N Weinreb. Comparing machine learning classifiers for diagnosing glaucoma from standard automated perimetry. *Invest Ophthalmol Vis Sci*, 43(1):162–9, Jan 2002.
- [66] Polina Golland, W. Eric L Grimson, Martha E Shenton, and Ron Kikinis. Detection and analysis of statistical differences in anatomical shape. *Med Image Anal*, 9(1):69–86, Feb 2005.
- [67] Johannes Graumann, Leslie A Dunipace, Jae Hong Seol, W. Hayes McDonald, John R Yates, Barbara J Wold, and Raymond J Deshaies. Applicability of tandem affinity purification MudPIT to pathway proteomics in yeast. *Mol Cell Proteomics*, 3(3):226–37, Mar 2004.
- [68] K. Gulukota, J. Sidney, A. Sette, and C. DeLisi. Two complementary methods for predicting peptides binding major histocompatibility complex molecules. *J Mol Biol*, 267(5):1258–1267, Apr 1997.
- [69] Hong Guo, Lindsay B Jack, and Asoke K Nandi. Feature generation using genetic programming with application to fault classification. *IEEE Trans Syst Man Cybern B Cybern*, 35(1):89–99, Feb 2005.
- [70] S. B. Gktrk, C. Tomasi, B. Acar, C. F. Beaulieu, D. S. Paik, R. B. Jeffrey, J. Yee, and S. Napel. A statistical 3-D pattern processing method for computer-aided detection of polyps in CT colonography. *IEEE Trans Med Imaging*, 20(12):1251–60, Dec 2001.
- [71] Bernard Haasdonk. Feature space interpretation of SVMs with indefinite kernels. *IEEE Trans Pattern Anal Mach Intell*, 27(4):482–92, Apr 2005.
- [72] J. Harborth, S. M. Elbashir, K. Vandeburgh, H. Manninga, S. A. Scaringe, K. Weber, and T. Tuschl. Sequence, chemical, and structural variation of small interfering RNAs and short hairpin RNAs and the effect on mammalian gene silencing. *Antisense Nucleic Acid. Drug. Dev.*, 13(2):83–105, Apr 2003.
- [73] S. Henikoff and J. G. Henikoff. Amino acid substitution matrices from protein blocks. *Proc. Natl. Acad. Sci. USA*, 89(22):10915–10919, Nov 1992.
- [74] Yoshiyuki Hizukuri, Yoshihiro Yamanishi, Kosuke Hashimoto, and Minoru Kanehisa. Extraction of species-specific glycan substructures. *Genome Inform Ser Workshop Genome Inform*, 15(1):69–81, 2004.

- [75] Yuen Ho, Albrecht Gruhler, Adrian Heilbut, Gary D Bader, Lynda Moore, Sally-Lin Adams, Anna Millar, Paul Taylor, Keiryn Bennett, Kelly Boutilier, Lingyun Yang, Cheryl Wolting, Ian Donaldson, Sren Schandorff, Juanita Shewnarane, Mai Vo, Joanne Taggart, Marilyn Goudreault, Brenda Muskat, Cris Alfarano, Danielle Dewar, Zhen Lin, Katerina Michalickova, Andrew R Willems, Holly Sassi, Peter A Nielsen, Karina J Rasmussen, Jens R Andersen, Lene E Johansen, Lykke H Hansen, Hans Jespersen, Alexandre Podtelejnikov, Eva Nielsen, Janne Crawford, Vibeke Poulsen, Birgitte D Srensen, Jesper Matthiesen, Ronald C Hendrickson, Frank Gleeson, Tony Pawson, Michael F Moran, Daniel Durocher, Matthias Mann, Christopher W V Hogue, Daniel Figeys, and Mike Tyers. Systematic identification of protein complexes in *Saccharomyces cerevisiae* by mass spectrometry. *Nature*, 415(6868):180–3, Jan 2002.
- [76] Bingding Huang and Michael Schroeder. Ligsitescs: predicting ligand binding sites using the connolly surface and degree of conservation. *BMC Struct Biol*, 6:19, 2006.
- [77] E. Huang, S. Ishida, J. Pittman, H. Dressman, A. Bild, M. Kloos, M. D’Amico, R. G. Pestell, M. West, and J. R. Nevins. Gene expression phenotypic models that predict the activity of oncogenic pathways. *Nat Genet*, 34(2):226–30, 2003.
- [78] W. Humphrey, A. Dalke, and K. Schulten. VMD: visual molecular dynamics. *J. Mol. Graph.*, 14(1):33–8, 27–8, Feb 1996.
- [79] Kazushi Ikeda and Tsutomu Aoishi. An asymptotic statistical analysis of support vector machines with soft margins. *Neural Netw*, 18(3):251–9, Apr 2005.
- [80] Martin Jambon, Anne Imberty, Gilbert Delage, and Christophe Geourjon. A new bioinformatic approach to detect common 3d sites in protein structures. *Proteins*, 52(2):137–145, Aug 2003.
- [81] G. Jones, P. Willett, R. C. Glen, A. R. Leach, and R. Taylor. Development and validation of a genetic algorithm for flexible docking. *J Mol Biol*, 267(3):727–748, Apr 1997.
- [82] Abdullah Kahraman, Richard J Morris, Roman A Laskowski, and Janet M Thornton. Shape variation in protein binding pockets and their ligands. *J Mol Biol*, 368(1):283–301, Apr 2007.
- [83] Matthias Kaper, Peter Meinicke, Ulf Grossekhoefer, Thomas Lingner, and Helge Ritter. BCI Competition 2003–Data set IIb: support vector machines for the P300 speller paradigm. *IEEE Trans Biomed Eng*, 51(6):1073–6, Jun 2004.
- [84] E. Kellenberger, J. Rodrigo, P. Muller, and D. Rognan. Comparative evaluation of eight docking tools for docking and virtual screening accuracy. *Proteins*, 57(2):225–242, Nov 2004.



- [85] P. Kharchenko, D. Vitkup, and G. M. Church. Filling gaps in a metabolic network using expression information. *Bioinformatics*, 20 Suppl 1:I178–I185, Aug 2004.
- [86] J. Kim, P.L. Krapivsky, B. Kahng, and S. Redner. Evolving protein interaction networks. E-print cond-mat/0203167, 2001.
- [87] K. H. Kim, S. W. Bang, and S. R. Kim. Emotion recognition system using short-term monitoring of physiological signals. *Med Biol Eng Comput*, 42(3):419–27, May 2004.
- [88] G. Klebe. Recent developments in structure-based drug design. *J Mol Med*, 78(5):269–281, 2000.
- [89] K. Kristiansen, S. G. Dahl, and O. Edvardsen. A database of mutants and effects of site-directed mutagenesis experiments on G protein-coupled receptors. *Proteins*, 26(1):81–94, Sep 1996.
- [90] Romano T Kroemer. Structure-based drug design: docking and scoring. *Curr Protein Pept Sci*, 8(4):312–328, Aug 2007.
- [91] H. Kubinyi. Chemogenomics in drug discovery. *Ernst Schering Res Found Workshop*, 58:1–19, 2006.
- [92] Thomas Navin Lal, Michael Schrder, Thilo Hinterberger, Jason Weston, Martin Bogdan, Niels Birbaumer, and Bernhard Schlkopf. Support vector channel selection in BCI. *IEEE Trans Biomed Eng*, 51(6):1003–10, Jun 2004.
- [93] Zhiqiang Lao, Dinggang Shen, Zhong Xue, Bilge Karacali, Susan M Resnick, and Christos Davatzikos. Morphological classification of brains via high-dimensional shape transformations and machine learning methods. *Neuroimage*, 21(1):46–57, Jan 2004.
- [94] Mette Voldby Larsen, Claus Lundegaard, Kasper Lamberth, Søren Buus, Søren Brunak, Ole Lund, and Morten Nielsen. An integrative approach to CTL epitope prediction: a combined algorithm integrating MHC class I binding, TAP transport efficiency, and proteasomal cleavage predictions. *Eur J Immunol*, 35(8):2295–2303, Aug 2005.
- [95] Andrs Lass and Emanuele Trucco. Vessel enhancement in digital X-ray angiographic sequences by temporal statistical learning. *Comput Med Imaging Graph*, 29(5):343–55, Jul 2005.
- [96] Guillaume Launay and Thomas Simonson. Homology modelling of protein-protein complexes: a simple method and its possibilities and limitations. *BMC Bioinformatics*, 9:427, 2008.
- [97] J. S. Lazo and P. Wipf. Combinatorial chemistry and contemporary pharmacology. *J Pharmacol Exp Ther*, 293(3):705–709, Jun 2000.

- [98] Andrew R Leach, Brian K Shoichet, and Catherine E Peishoff. Prediction of protein-ligand interactions. docking and scoring: successes and gaps. *J Med Chem*, 49(20):5851–5855, Oct 2006.
- [99] Shutao Li, James Tin-Yau Kwok, Ivor Wai-Hung Tsang, and Yaonan Wang. Fusing images with different focuses using support vector machines. *IEEE Trans Neural Netw*, 15(6):1555–61, Nov 2004.
- [100] H. Liang and Z. Lin. Detection of delayed gastric emptying from electrogastrograms with support vector machine. *IEEE Trans Biomed Eng*, 48(5):601–4, May 2001.
- [101] WuMei Lin, Xin Yuan, Powing Yuen, William I Wei, Jonathan Sham, PengCheng Shi, and Jianan Qu. Classification of in vivo autofluorescence spectra using support vector machines. *J Biomed Opt*, 9(1):180–6, 2004.
- [102] Wei-Zhen Lu and Wen-Jian Wang. Potential assessment of the "support vector machine" method in forecasting ambient air pollutant trends. *Chemosphere*, 59(5):693–701, Apr 2005.
- [103] K. Q. Luo and D. C. Chang. The gene-silencing efficiency of siRNA is strongly dependent on the local structure of mRNA at the targeted region. *Biochem. Biophys. Res. Commun.*, 318(1):303–10, May 2004.
- [104] Stephen Marsland, Jonathan Shapiro, and Ulrich Nehmzow. A self-organising network that grows when required. *Neural Netw*, 15(8-9):1041–58, 2002.
- [105] J. S. Mason, I. Morize, P. R. Menard, D. L. Cheney, C. Hulme, and R. F. Labaudiniere. New 4-point pharmacophore method for molecular similarity and diversity applications: overview of the method and applications, including a novel approach to the design of combinatorial libraries containing privileged substructures. *J Med Chem*, 42(17):3251–3264, Aug 1999.
- [106] Alvaro Mateos, Joaquin Dopazo, Ronald Jansen, Yuhai Tu, Mark Gerstein, and Gustavo Stolovitzky. Systematic learning of gene functional classes from DNA array expression data by using multilayer perceptrons. *Genome Res.*, 12(11):1703–15, Nov 2002.
- [107] D. H. Mathews, J. Sabina, M. Zuker, and D. H. Turner. Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. *J Mol Biol*, 288(5):911–940, May 1999.
- [108] Michael Mavroforakis, Harris Georgiou, Nikos Dimitropoulos, Dionisis Cavouras, and Sergios Theodoridis. Significance analysis of qualitative mammographic features, using linear classifiers, neural networks and support vector machines. *Eur J Radiol*, 54(1):80–9, Apr 2005.

- [109] Dong mei Qin, Zhan yi Hu, and Yong heng Zhao. Automated classification of celestial spectra based on support vector machines. *Guang Pu Xue Yu Guang Pu Fen Xi*, 24(4):507–11, Apr 2004.
- [110] Jordi Mestres. Computational chemogenomics approaches to systematic knowledge-based drug discovery. *Curr Opin Drug Discov Devel*, 7(3):304–313, May 2004.
- [111] Charles A Micchelli and Massimiliano Pontil. On learning vector-valued functions. *Neural Comput*, 17(1):177–204, Jan 2005.
- [112] M. A. Miteva, W. H. Lee, M. O. Montes, and B. O. Villoutreix. Fast structure-based virtual ligand screening combining FRED, DOCK, and Surflex. *J Med Chem*, 48(19):6012–6022, Sep 2005.
- [113] F. Miwakeichi, R. Ramirez-Padron, P. A. Valdes-Sosa, and T. Ozaki. A comparison of non-linear non-parametric models for epilepsy data. *Comput. Biol. Med.*, 31(1):41–57, Jan 2001.
- [114] N. Moitessier, P. Englebienne, D. Lee, J. Lawandi, and C. R. Corbeil. Towards the development of universal, fast and highly accurate docking/scoring methods: a long way to go. *Br J Pharmacol*, 153 Suppl 1:S7–26, Mar 2008.
- [115] H. Nielsen, J. Engelbrecht, S. Brunak, and G. von Heijne. Identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites. *Protein Eng.*, 10(1):1–6, 1997.
- [116] M. Opper and R. Urbanczik. Universal learning curves of support vector machines. *Phys Rev Lett*, 86(19):4410–3, May 2001.
- [117] M. Opper and O. Winther. Gaussian processes for classification: mean-field algorithms. *Neural Comput*, 12(11):2655–84, Nov 2000.
- [118] A. Pandey and M. Mann. Proteomics to study genes and genomes. *Nature*, 405:837–846, 2000.
- [119] A. Papadopoulos, D. I. Fotiadis, and A. Likas. Characterization of clustered microcalcifications in digitized mammograms using neural networks and support vector machines. *Artif. Intell. Med.*, 34(2):141–50, Jun 2005.
- [120] R. Pastor-Satorras, E. D. Smith, and R. V. Solé. Evolving protein interaction networks through gene duplication. Technical report, Santa Fe Institute, 2002. Working paper 02-02-008.
- [121] Paul Pavlidis, Ilan Wapinski, and William Stafford Noble. Support vector machine classification on the web. *Bioinformatics*, 20(4):586–7, Mar 2004.
- [122] C. A. Pepperrell and P. Willett. Techniques for the calculation of three-dimensional structural similarity using inter-atomic distances. *J Comput Aided Mol Des*, 5(5):455–474, Oct 1991.

- [123] Emanuele Perola and Paul S Charifson. Conformational analysis of drug-like molecules bound to proteins: an extensive study of ligand reorganization upon binding. *J Med Chem*, 47(10):2499–2510, May 2004.
- [124] Bjoern Peters and Alessandro Sette. Generating quantitative models describing the sequence specificity of biological processes with the stabilized matrix method. *BMC Bioinformatics*, 6:132, 2005.
- [125] Poggio and Girosi. A Sparse Representation for Function Approximation. *Neural Comput*, 10(6):1445–54, Jul 1998.
- [126] M. Pontil and A. Verri. Properties of support vector machines. *Neural Comput*, 10(4):955–74, May 1998.
- [127] J. Prados, A. Kalousis, J.C. Sanchez, L. Allard, O. Carrette, and M. Hilario. Mining mass spectra for diagnosis and biomarker discovery of cerebral accidents. *Proteomics*, 4(8):2320–2332, 2004.
- [128] K. N Bhanu Prakash, A. G. Ramakrishnan, S. Suresh, and Teresa W P Chow. Fetal lung maturity analysis using ultrasound image features. *IEEE Trans Inf Technol Biomed*, 6(1):38–45, Mar 2002.
- [129] Fernando Prez-Cruz, Carlos Bousoo-Calzn, and Antonio Arts-Rodrguez. Convergence of the IRWLS Procedure to the Support Vector Machine Solution. *Neural Comput*, 17(1):7–18, Jan 2005.
- [130] J. Qiu, J. Hue, A. Ben-Hur, J.-P. Vert, and W. S. Noble. A structural alignment kernel for protein structures. *Bioinformatics*, 23(9):1090–1098, May 2007.
- [131] J.-C. Rain, L. Selig, H. De Reuse, V. Battaglia, C. Reverdy, S. Simon, G. Lenzen, F. Petel, J. Wojcik, V. Schächter, Y. Chemama, A. Labigne, and P. Legrain. The protein-protein interaction map of *Helicobacter pylori*. *Nature*, 409:211–215, 2001.
- [132] M. Rarey, B. Kramer, T. Lengauer, and G. Klebe. A fast flexible docking method using an incremental construction algorithm. *J Mol Biol*, 261(3):470–489, Aug 1996.
- [133] M. Rarey, S. Wefing, and T. Lengauer. Placement of medium-sized molecular fragments into active sites of proteins. *J Comput Aided Mol Des*, 10(1):41–54, Feb 1996.
- [134] Risau-Gusman and Gordon. Generalization properties of finite-size polynomial support vector machines. *Phys Rev E Stat Phys Plasmas Fluids Relat Interdiscip Topics*, 62(5 Pt B):7092–9, Nov 2000.
- [135] S. Risau-Gusman and M. B. Gordon. Statistical mechanics of learning with soft margin classifiers. *Phys Rev E Stat Nonlin Soft Matter Phys*, 64(3 Pt 1):031907, Sep 2001.

- [136] R. B. Russell and G. J. Barton. Multiple protein sequence alignment from tertiary structure comparison: assignment of global and residue confidence levels. *Proteins*, 14(2):309–323, Oct 1992.
- [137] N. Salim, J. Holliday, and P. Willett. Combination of fingerprint-based similarity coefficients using data fusion. *J Chem Inf Comput Sci*, 43(2):435–442, 2003.
- [138] J. Salomon and D. R. Flower. Predicting Class II MHC-Peptide binding: a kernel based approach using similarity scores. *BMC Bioinformatics*, 7:501, 2006.
- [139] Pamela A Sample, Michael H Goldbaum, Kwokleung Chan, Catherine Boden, Te-Won Lee, Christiana Vasile, Andreas G Boehm, Terrence Sejnowski, Chris A Johnson, and Robert N Weinreb. Using machine learning classifiers to identify glaucomatous change earlier in standard visual fields. *Invest Ophthalmol Vis Sci*, 43(8):2660–5, Aug 2002.
- [140] Alexander P Sassi, Frank Andel, Hans-Marcus L Bitter, Michael P S Brown, Robert G Chapman, Jeraldine Espiritu, Alfred C Greenquist, Isabelle Guyon, Mariana Horchi-Alegre, Kathy L Stults, Ann Wainright, Jonathan C Heller, and John T Stults. An automated, sheathless capillary electrophoresis-mass spectrometry platform for discovery of biomarkers in human serum. *Electrophoresis*, 26(7-8):1500–12, Apr 2005.
- [141] Claire Schalon, Jean-Sbastien Surgand, Esther Kellenberger, and Didier Rognan. A simple and fuzzy method to align and compare druggable ligand-binding sites. *Proteins*, 71(4):1755–1778, Jun 2008.
- [142] Stefan Schmitt, Daniel Kuhn, and Gerhard Klebe. A new method to detect related function among proteins independent of sequence and fold homology. *J Mol Biol*, 323(2):387–406, Oct 2002.
- [143] G. Schneider and P. Wrede. Artificial neural networks for computer-based molecular design. *Prog Biophys Mol Biol*, 70(3):175–222, 1998.
- [144] Matthias Seeger. Gaussian processes for machine learning. *Int J Neural Syst*, 14(2):69–106, Apr 2004.
- [145] M. Seike, T. Kondo, K. Fujii, T. Okano, T. Yamada, Y. Matsuno, A. Gemma, S. Kudoh, and S. Hirohashi. Proteomic signatures for histological types of lung cancer. *Proteomics*, Jul 2005.
- [146] J. H. Seol, A. Shevchenko, A. Shevchenko, and R. J. Deshaies. Skp1 forms multiple protein complexes, including RAVE, a regulator of V-ATPase assembly. *Nat Cell Biol*, 3(4):384–91, Apr 2001.
- [147] A. Sette, A. Vitiello, B. Reheman, P. Fowler, R. Nayarsina, W. M. Kast, C. J. Melief, C. Oseroff, L. Yuan, J. Ruppert, J. Sidney, M. F. del Guercio, S. Southwood, R. T. Kubo, R. W. Chesnut, H. M. Grey, and F. V. Chisari.

The relationship between class I binding affinity and immunogenicity of potential cytotoxic T cell epitopes. *J Immunol*, 153(12):5586–5592, Dec 1994.

- [148] Felix B Sheinerman, Bissan Al-Lazikani, and Barry Honig. Sequence, structure and energetic determinants of phosphopeptide selectivity of SH2 domains. *J Mol Biol*, 334(4):823–841, Dec 2003.
- [149] Felix B Sheinerman, Elie Giraud, and Abdelazize Laoui. High affinity targets of protein kinase inhibitors have similar residues at the positions energetically important for binding. *J Mol Biol*, 352(5):1134–1156, Oct 2005.
- [150] Li Shen, Jie Yang, and Yue Zhou. Detection of PVCs with support vector machine. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*, 22(1):78–81, Feb 2005.
- [151] Ali Shoeb, Herman Edwards, Jack Connolly, Blaise Bourgeois, S. Ted Treves, and John Guttag. Patient-specific seizure onset detection. *Epilepsy Behav*, 5(4):483–98, Aug 2004.
- [152] J. Sidney, M. F. del Guercio, S. Southwood, V. H. Engelhard, E. Appella, H. G. Rammensee, K. Falk, O. Rötzschke, M. Takiguchi, and R. T. Kubo. Several HLA alleles share overlapping peptide specificities. *J Immunol*, 154(1):247–259, Jan 1995.
- [153] J. Sidney, H. M. Grey, S. Southwood, E. Celis, P. A. Wentworth, M. F. del Guercio, R. T. Kubo, R. W. Chesnut, and A. Sette. Definition of an HLA-A3-like supermotif demonstrates the overlapping peptide-binding repertoires of common HLA molecules. *Hum Immunol*, 45(2):79–93, Feb 1996.
- [154] P. A. Smith, M. J. Sorich, L. S C Low, R. A. McKinnon, and J. O. Miners. Towards integrated ADME prediction: past, present and future directions for modelling metabolism by UDP-glucuronosyltransferases. *J Mol Graph Model*, 22(6):507–17, Jul 2004.
- [155] R. V. Solé, R. Pastor-Satorras, E. D. Smith, and T. Kepler. A Model of Large-Scale Proteome Evolution. Technical report, Santa Fe Institute, 2001. Working paper 01-08-041.
- [156] Minghu Song, Curt M Breneman, Jinbo Bi, N. Sukumar, Kristin P Bennett, Steven Cramer, and Nihal Tugcu. Prediction of protein retention times in anion-exchange chromatography systems using support vector regression. *J Chem Inf Comput Sci*, 42(6):1347–57, 2002.
- [157] Xiaowei Song, Arnold Mitnitski, Jafna Cox, and Kenneth Rockwood. Comparison of machine learning techniques with classical statistical models in predicting health outcomes. *Medinfo*, 11(Pt 1):736–40, 2004.

- [158] Florence L Stahura and Jrgen Bajorath. Virtual screening methods that complement HTS. *Comb Chem High Throughput Screen*, 7(4):259–69, Jun 2004.
- [159] Alexander Sturn, John Quackenbush, and Zlatko Trajanoski. Genesis: cluster analysis of microarray data. *Bioinformatics*, 18(1):207–8, Jan 2002.
- [160] M. Sultan, D. A. Wigle, C. A. Cumbaa, M. Maziarz, J. Glasgow, M. S. Tsao, and I. Jurisica. Binary tree-structured vector quantization approach to clustering and visualizing microarray data. *Bioinformatics*, 18 Suppl 1:S111–9, 2002.
- [161] Zhenghong Sun, Xiaoli Fu, Lu Zhang, Xiaoli Yang, Feizhou Liu, and Gengxi Hu. A protein chip system for parallel analysis of multi-tumor markers and its application in cancer detection. *Anticancer Res*, 24(2C):1159–65, 2004.
- [162] Jean-Sebastien Surgand, Jordi Rodrigo, Esther Kellenberger, and Didier Rognan. A chemogenomic analysis of the transmembrane binding cavity of human g-protein-coupled receptors. *Proteins*, 62(2):509–538, Feb 2006.
- [163] J. A. Suykens, J. Vandewalle, and B. De Moor. Optimal control by least squares support vector machines. *Neural Netw*, 14(1):23–35, Jan 2001.
- [164] Nobuhiro Takahashi, Mitsuaki Yanagida, Sally Fujiyama, Toshiya Hayano, and Toshiaki Isobe. Proteomic snapshot analyses of preribosomal ribonucleoprotein complexes formed at various stages of ribosome biogenesis in yeast and mammalian cells. *Mass Spectrom Rev*, 22(5):287–317, 2003.
- [165] A. Talukder and D. Casasent. A closed-form neural network for discriminatory feature extraction from high-dimensional data. *Neural Netw*, 14(9):1201–18, Nov 2001.
- [166] R. D. Teixeira, A. P. Braga, R. H. Takahashi, and R. R. Saldanha. Recent advances in the MOBJ algorithm for training artificial neural networks. *Int J Neural Syst*, 11(3):265–70, Jun 2001.
- [167] Sushil K Thukral, Paul J Nordone, Rong Hu, Leah Sullivan, Eric Galambos, Vincent D Fitzpatrick, Laura Healy, Michael B Bass, Mary E Cosenza, and Cynthia A Afshari. Prediction of nephrotoxicant action and identification of candidate toxicity-related biomarkers. *Toxicol Pathol*, 33(3):343–55, 2005.
- [168] Liang Tian and Afzel Noore. A novel approach for short-term load forecasting using support vector machines. *Int J Neural Syst*, 14(5):329–35, Oct 2004.
- [169] D. L. Tucker, N. Tucker, and T. Conway. Gene expression profiling of the ph response in escherichia coli. *J Bacteriol.*, 184(23):6551–6558, Dec 2002.

- [170] Nihal Tugcu, Minghu Song, Curt M Breneman, N. Sukumar, Kristin P Bennett, and Steven M Cramer. Prediction of the effect of mobile-phase salt type on protein retention and selectivity in anion exchange systems. *Anal Chem*, 75(14):3563–72, Jul 2003.
- [171] Chun-Wei Tung and Shinn-Ying Ho. Popi: predicting immunogenicity of mhc class i binding peptides by mining informative physicochemical properties. *Bioinformatics*, 23(8):942–949, Apr 2007.
- [172] W. L. Tung and C. Quek. GenSo-FDSS: a neural-fuzzy decision support system for pediatric ALL cancer subtype identification using gene expression data. *Artif. Intell. Med.*, 33(1):61–88, Jan 2005.
- [173] Huey-Ming Tzeng, Jer-Guang Hsieh, and Yih-Lon Lin. Predicting nurses’ intention to quit with a support vector machine: a new approach to set up an early warning mechanism in human resource management. *Comput Inform Nurs*, 22(4):232–42, 2004.
- [174] Anirudh Vallabhaneni and Bin He. Motor imagery task classification for brain computer interface applications using spatiotemporal principle component analysis. *Neurol Res*, 26(3):282–7, Apr 2004.
- [175] A. Vazquez, A. Flammini, A. Maritan, and A. Vespignani. Modeling of protein interaction networks. E-print cond-mat/0108043, Aug 2001.
- [176] W. Vercoutere, S. Winters-Hilt, H. Olsen, D. Deamer, D. Haussler, and M. Akeson. Rapid discrimination among individual DNA hairpin molecules at single-nucleotide resolution using an ion channel. *Nat Biotechnol*, 19(3):248–52, Mar 2001.
- [177] T. A. Vickers, S. Koo, C. F. Bennett, S. T. Crooke, N. M. Dean, and B. F. Baker. Efficient reduction of target RNAs by small interfering RNA and RNase H-dependent antisense agents. A comparative analysis. *J. Biol. Chem.*, 278(9):7108–18, Feb 2003.
- [178] Grace Wahba. Soft and hard classification by reproducing kernel Hilbert space methods. *Proc Natl Acad Sci U S A*, 99(26):16524–30, Dec 2002.
- [179] Kai Wang, Ekachai Jenwitheesuk, Ram Samudrala, and John E Mittler. Simple linear model provides highly accurate genotypic predictions of HIV-1 drug resistance. *Antivir Ther*, 9(3):343–52, Jun 2004.
- [180] Scott R Waterman and P. L C Small. Transcriptional expression of escherichia coli glutamate-dependent acid resistance genes gada and gadbc in an hns rpos mutant. *J Bacteriol*, 185(15):4644–4647, Aug 2003.
- [181] Griffin Weber, Staal Vinterbo, and Lucila Ohno-Machado. Building an asynchronous web-based tool for machine learning classification. *Proc AMIA Symp*, pages 869–73, 2002.



- [182] W. J. Wilbur. Boosting naive Bayesian learning on a large subset of MEDLINE. *Proc AMIA Symp*, pages 918–22, 2000.
- [183] M. R. Wilkins, C. Pasquali, R. D. Appel, K. Ou, O. Golaz, J. C. Sanchez, J. X. Yan, A. A. Gooley, G. Hughes, I. Humphery-Smith, K. L. Williams, and D. F. Hochstrasser. From proteins to proteomes: large scale protein identification by two-dimensional electrophoresis and amino acid analysis. *Biotechnology (N Y)*, 14(1):61–65, Jan 1996.
- [184] H. Xia, Q. Mao, S. L. Eliason, S. Q. Harper, I. H. Martins, H. T. Orr, H. L. Paulson, L. Yang, R. M. Kotin, and B. L. Davidson. RNAi suppresses polyglutamine-induced neurodegeneration in a model of spinocerebellar ataxia. *Nat. Med.*, 10(8):816–820, Aug 2004.
- [185] Lei Xie, Li Xie, and Philip E Bourne. A unified statistical model to support local sequence order independent similarity searching for ligand-binding sites and its application to genome-based drug discovery. *Bioinformatics*, 25(12):i305–i312, Jun 2009.
- [186] Jian xiong Dong, Adam Krzyzak, and Ching Y Suen. Fast SVM training algorithm with decomposition on very large data sets. *IEEE Trans Pattern Anal Mach Intell*, 27(4):603–18, Apr 2005.
- [187] L. Xue, F. L. Stahura, J. W. Godden, and J. Bajorath. Mini-fingerprints detect similar activity of receptor ligands previously recognized only by three-dimensional pharmacophore-based methods. *J Chem Inf Comput Sci*, 41(2):394–401, 2001.
- [188] Zheng Rong Yang. Biological applications of support vector machines. *Brief Bioinform*, 5(4):328–38, Dec 2004.
- [189] J. S. Yu, S. Ongarello, R. Fiedler, X. W. Chen, G. Toffolo, C. Cobelli, and Z. Trajanoski. Ovarian cancer identification based on dimensionality reduction for high-throughput mass spectrometry data. *Bioinformatics*, 21(10):2200–9, May 2005.
- [190] Kun Yu, Nikolai Petrovsky, Christian Schnbach, Judice Y L Koh, and Vladimir Brusic. Methods for prediction of peptide binding to MHC molecules: a comparative study. *Mol Med*, 8(3):137–148, Mar 2002.
- [191] G. L. Zhang, A. M. Khan, K. N. Srinivasan, J. T. August, and V. Brusic. MULTIPRED: a computational system for prediction of promiscuous HLA binding peptides. *Nucleic Acids Res*/, 33(Web Server issue):W172–W179, Jul 2005.
- [192] Y. Zhao, C. Pinilla, D. Valmori, R. Martin, and R. Simon. Application of support vector machines for T-cell epitopes prediction. *Bioinformatics*, 19(15):1978–1984, Oct 2003.

- [193] GuoDong Zhou, Jie Zhang, Jian Su, Dan Shen, and ChewLim Tan. Recognizing names in biomedical texts: a machine learning approach. *Bioinformatics*, 20(7):1178–90, May 2004.
- [194] H. Zhu, M. Bilgin, R. Bangham, D. Hall, A. Casamayor, P. Bertone, N. Lan, R. Jansen, S. Bidlingmaier, T. Houfek, T. Mitchell, P. Miller, R. A. Dean, M. Gerstein, and M. Snyder. Global analysis of protein activities using proteome chips. *Science*, 293(5537):2101–5, Sep 2001.
- [195] Lingyun Zhu, Baoming Wu, and Changxiu Cao. Introduction to medical data mining. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*, 20(3):559–62, Sep 2003.