

siRNA

October 12, 2009

References

- [1] M. Amarzguioui and H. Prydz. An algorithm for selection of functional siRNA sequences. *Biochem. Biophys. Res. Commun.*, 316(4):1050–8, Apr 2004.
- [2] Q. Boese, D. Leake, A. Reynolds, S. Read, S. A. Scaringe, W. S. Marshall, and A. Khvorova. Mechanistic insights aid computational short interfering RNA design. *Methods Enzymol.*, 392:73–96, 2005.
- [3] N. J. Caplen, S. Parrish, F. Imani, A. Fire, and R. A. Morgan. Specific inhibition of gene expression by small double-stranded RNAs in invertebrate and vertebrate systems. *Proc. Natl. Acad. Sci. USA*, 98(17):9742–9747, Aug 2001.
- [4] A. M. Chalk, C. Wahlestedt, and E. L. L. Sonnhammer. Improved and automated prediction of effective siRNA. *Biochem. Biophys. Res. Commun.*, 319(1):264–74, Jun 2004.
- [5] A. M. Chalk, R. E. Warfinge, P. Georgii-Hemming, and E. L. L. Sonnhammer. siRNADB: a database of siRNA sequences. *Nucleic Acids Res.*, 33(Database issue):D131–D134, Jan 2005.
- [6] C. Cogoni, J. T. Irelan, M. Schumacher, T. J. Schmidhauser, E. U. Selker, and G. Macino. Transgene silencing of the *al-1* gene in vegetative cells of *Neurospora* is mediated by a cytoplasmic effector and does not depend on DNA-DNA interactions or DNA methylation. *EMBO J.*, 15(12):3153–3163, Jun 1996.
- [7] Y. Ding, C. Chan Yu, and C. E. Lawrence. Sfold web server for statistical folding and rational design of nucleic acids. *Nucleic Acids Res.*, 32(Web Server issue):W135–W141, Jul 2004.
- [8] S. M. Elbashir, J. Harborth, W. Lendeckel, A. Yalcin, K. Weber, and T. Tuschl. Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells. *Nature*, 411(6836):494–498, May 2001.

- [9] S. M. Elbashir, W. Lendeckel, and T. Tuschl. RNA interference is mediated by 21- and 22-nucleotide RNAs. *Genes Dev.*, 15(2):188–200, Jan 2001.
- [10] A. Fire, S. Xu, M. K. Montgomery, S. A. Kostas, S. E. Driver, and C. C. Mello. Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature*, 391(6669):806–811, Feb 1998.
- [11] D. Gong and J. E. Ferrell. Picking a winner: new mechanistic insights into the design of effective siRNAs. *Trends Biotechnol.*, 22(9):451–4, Sep 2004.
- [12] B. Haley and P. D. Zamore. Kinetic analysis of the RNAi enzyme complex. *Nat. Struct. Mol. Biol.*, 11(7):599–606, Jul 2004.
- [13] J. Hall. Unravelling the general properties of siRNAs: strength in numbers and lessons from the past. *Nat. Rev. Genet.*, 5(7):552–7, Jul 2004.
- [14] G. J. Hannon and J. J. Rossi. Unlocking the potential of the human genome with RNA interference. *Nature*, 431(7006):371–8, Sep 2004.
- [15] T. Holen, M. Amarzguioui, M. T. Wiiger, E. Babaie, and H. Prydz. Positional effects of short interfering RNAs targeting the human coagulation trigger Tissue Factor. *Nucleic Acids Res.*, 30(8):1757–1766, Apr 2002.
- [16] A. C. Hsieh, R. Bo, J. Manola, F. Vazquez, O. Bare, A. Khvorova, S. Scaringe, and W. R. Sellers. A library of siRNA duplexes targeting the phosphoinositide 3-kinase pathway: determinants of gene silencing for use in cell-based screens. *Nucleic Acids Res.*, 32(3):893–901, 2004.
- [17] D. Huesken, J. Lange, C. Mickanin, J. Weiler, F. Asselbergs, J. Warner, B. Meloon, S. Engel, A. Rosenberg, D. Cohen, M. Labow, M. Reinhardt, F. Natt, and J. Hall. Design of a genome-wide siRNA library using an artificial neural network. *Nat. Biotechnol.*, 23(8):995–1001, Aug 2005.
- [18] K. Huppi, S. E. Martin, and N. J. Caplen. Defining and assaying RNAi in mammalian cells. *Mol. Cell*, 17(1):1–10, Jan 2005.
- [19] A. L. Jackson, S. R. Bartz, J. Schelter, S. V. Kobayashi, J. Burchard, M. Mao, B. Li, G. Cavet, and P. S. Linsley. Expression profiling reveals off-target gene regulation by RNAi. *Nat. Biotechnol.*, 21(6):635–7, Jun 2003.
- [20] A. L. Jackson and P. S. Linsley. Noise amidst the silence: off-target effects of siRNAs? *Trends Genet.*, 20(11):521–4, Nov 2004.
- [21] P. Jia, T. Shi, Y. Cai, and Y. Li. Demonstration of two novel methods for predicting functional siRNA efficiency. *BMC Bioinformatics*, 7:271, 2006.
- [22] R. A. Jorgensen. Sense cosuppression in plants: Past, present, and future. In G. J. Hannon, editor, *RNAi: A guide to gene silencing*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 2003.

- [23] A. Khvorova, A. Reynolds, and S.D. Jayasena. Functional siRNAs and miRNAs exhibit strand bias. *Cell*, 115(2):209–216, Oct 2003.
- [24] J.-B. Ma, Y.-R. Yuan, G. Meister, Y. Pei, T. Tuschl, and Patel D.J. Structural basis for 5'-end-specific recognition of guide RNA by the *A. fulgidus* PIWI protein. *Nature*, 434:666–670, 2005.
- [25] J.B. Ma, K. Ye, and D.J. Patel. Structural basis for overhang-specific small interfering RNA recognition by the PAZ domain. *Nature*, 429(6989):318–322, May 2004.
- [26] D. H. Mathews, J. Sabina, M. Zuker, and D. H. Turner. Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. *J. Mol. Biol.*, 288(5):911–40, May 1999.
- [27] M. T. McManus and P. A. Sharp. Gene silencing in mammals by small interfering RNAs. *Nat. Rev. Genet.*, 3(10):737–747, Oct 2002.
- [28] G. Meister and T. Tuschl. Mechanisms of gene silencing by double-stranded RNA. *Nature*, 431(7006):343–9, Sep 2004.
- [29] V. Mittal. Improving the efficiency of RNA interference in mammals. *Nat. Rev. Genet.*, 5(5):355–65, May 2004.
- [30] M. Overhoff, M. Alken, R. K. Far, M. Lemaitre, B. Lebleu, G. Sczakiel, and I. Robbins. Local RNA target structure influences siRNA efficacy: a systematic global analysis. *J. Mol. Biol.*, 348(4):871–881, May 2005.
- [31] S. I. Pai, Y.-Y. Lin, B. Macaes, A. Meneshian, Hung C.-F., and T.-C. Wu. Prospects of RNA interference therapy for cancer. *Gene Ther.*, 13(6):464–477, Mar 2006.
- [32] S. Qiu, C. M. Adema, and T. Lane. A computational study of off-target effects of RNA interference. *Nucleic Acids Res.*, 33(6):1834–1847, 2005.
- [33] Y. Ren, W. Gong, Q. Xu, X. Zheng, D. Lin, Y. Wang, and T. Li. siRecords: an extensive database of mammalian siRNAs with efficacy ratings. *Bioinformatics*, Jan 2006.
- [34] A. Reynolds, D. Leake, Q. Boese, S. Scaringe, W. S. Marshall, and A. Khvorova. Rational siRNA design for RNA interference. *Nat. Biotechnol.*, 22(3):326–330, Mar 2004.
- [35] P. Saetrom and O. Snve. A comparison of siRNA efficacy predictors. *Biochem. Biophys. Res. Commun.*, 321(1):247–53, Aug 2004.
- [36] P. C. Scacheri, O. Rozenblatt-Rosen, N. J. Caplen, T. G. Wolfsberg, L. Umayam, J. C. Lee, C. M. Hughes, K. S. Shanmugam, A. Bhattacharjee, M. Meyerson, and F. S. Collins. Short interfering RNAs can induce unexpected and divergent changes in the levels of untargeted proteins in mammalian cells. *Proc. Natl. Acad. Sci. USA*, 101(7):1892–7, Feb 2004.

- [37] S. Schubert, A. Grnweller, V. A. Erdmann, and J. Kurreck. Local RNA target structure influences siRNA efficacy: systematic analysis of intentionally designed binding regions. *J. Mol. Biol.*, 348(4):883–893, May 2005.
- [38] D. S. Schwarz, G. Hutvagner, T. Du, Z. Xu, N. Aronin, and P. D. Zamore. Asymmetry in the assembly of the RNAi enzyme complex. *Cell*, 115(2):199–208, Oct 2003.
- [39] D. Semizarov, L. Frost, A. Sarthy, P. Kroeger, D. N. Halbert, and S. W. Fesik. Specificity of short interfering RNA determined through gene expression signatures. *Proc. Natl. Acad. Sci. USA*, 100(11):6347–52, May 2003.
- [40] S. Shabalina, A. Spiridonov, and A. Ogurtsov. Computational models with thermodynamic and composition features improve siRNA design. *BMC Bioinformatics*, 7(1):65, Feb 2006.
- [41] O. Snve, M. Nedland, S. H. Fjeldstad, H. Humberstet, O. R. Birkeland, T. Grönfeld, and P. Saetrom. Designing effective siRNAs with off-target control. *Biochem. Biophys. Res. Commun.*, 325(3):769–73, Dec 2004.
- [42] R. M. Surabhi and R. B. Gaynor. RNA interference directed against viral and cellular targets inhibits human immunodeficiency Virus Type 1 replication. *J. Virol.*, 76(24):12963–12973, Dec 2002.
- [43] G. Tang. siRNA and miRNA: an insight into RISCs. *Trends Biochem. Sci.*, 30(2):106–14, Feb 2005.
- [44] Reiji Teramoto, Mikio Aoki, Toru Kimura, and Masaharu Kanaoka. Prediction of siRNA functionality using generalized string kernel and support vector machine. *FEBS Lett.*, 579(13):2878–82, May 2005.
- [45] Y. Tomari and P. D. Zamore. Perspective: machines for RNAi. *Genes Dev.*, 19(5):517–29, Mar 2005.
- [46] M. Truss, M. Swat, S. M. Kielbasa, R. Schäfer, H. Herzelt, and C. Hagemeyer. HuSiDa—the human siRNA database: an open-access database for published functional siRNA sequences and technical details of efficient transfer into recipient cells. *Nucleic Acids Res.*, 33(Database issue):D108–11, Jan 2005.
- [47] K. Ui-Tei, Y. Naito, F. Takahashi, T. Haraguchi, H. Ohki-Hamazaki, A. Juni, R. Ueda, and K. Saigo. Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference. *Nucleic Acids Res.*, 32(3):936–948, Feb 2004.
- [48] T. Yamada and S. Morishita. Accelerated off-target search algorithm for siRNA. *Bioinformatics*, 21(8):1316–24, Apr 2005.

- [49] P.D. Zamore, T. Tuschl, P.A. Sharp, and D.P. Bartel. RNAi: double-stranded RNA directs the ATP-dependent cleavage of mRNA at 21 to 23 nucleotide intervals. *Cell*, 101(1):25–33, Mar 2000.
- [50] M. Zuker. On finding all suboptimal foldings of an RNA molecule. *Science*, 244(4900):48–52, Apr 1989.