

source-coding

October 12, 2009

References

- [1] M. Feder and N. Merhav. Hierarchical universal coding. *IEEE Trans. Inform. Theory*, 42(5):1354–1364, Sep 1996.
- [2] R. E. Krichevskiy. Laplace’s law of succession and universal encoding. *IEEE Trans. Inform. Theory*, 44(1):296–303, Jan 1998.
- [3] R. Krichevsky and V. Trofimov. The performance of universal encoding. *IEEE Trans. Inform. Theory*, 27(2):199–207, Mar 1981.
- [4] N. Merhav and M. Feder. Universal schemes for sequential decision from individual data sequences. *IEEE Trans. Inform. Theory*, 39(4):1280–1292, Jul 1993.
- [5] N. Merhav, M. Feder, and M. Gutman. Some properties of sequential predictors for binary Markov sources. *IEEE Trans. Inform. Theory*, 39(3):887–892, May 1993.
- [6] E. Meron and M. Feder. Finite-memory universal prediction of individual sequences. *IEEE Trans. Inform. Theory*, 50(7):1506–1523, Jul 2004.
- [7] J. Rissanen and G. Jr. Langdon. Universal modeling and coding. *IEEE Trans. Inform. Theory*, 27(1):12–23, Jan 1981.
- [8] T.J. Tjalkens and F.M.J. Willems. A universal variable-to-fixed length source code based on Lawrence’s algorithm. *IEEE Trans. Inform. Theory*, 38(2):247–253, Mar 1992.