

stat

October 12, 2009

References

- [1] S.-I. Amari. Information geometry on hierarchy of probability distributions. *IEEE Trans. Inform. Theory*, 47(5):1701–1711, July 2001.
- [2] Harmohina Bagga, David S Greenfield, and William J Feuer. Quantitative assessment of atypical birefringence images using scanning laser polarimetry with variable corneal compensation. *Am J Ophthalmol*, 139(3):437–46, Mar 2005.
- [3] A. M. Bagirov, B. Ferguson, S. Ivkovic, G. Saunders, and J. Yearwood. New algorithms for multi-class cancer diagnosis using tumor gene expression signatures. *Bioinformatics*, 19(14):1800–7, Sep 2003.
- [4] G. Baudat and F. Anouar. Generalized discriminant analysis using a kernel approach. *Neural Comput*, 12(10):2385–404, Oct 2000.
- [5] Monica Benito, Joel Parker, Quan Du, Junyuan Wu, Dong Xiang, Charles M Perou, and J. S. Marron. Adjustment of systematic microarray data biases. *Bioinformatics*, 20(1):105–14, Jan 2004.
- [6] F. C. Bernstein, T. F. Koetzle, G. J. Williams, E. F. Meyer, M. D. Brice, J. R. Rodgers, O. Kennard, T. Shimanouchi, and M. Tasumi. The protein data bank: a computer-based archival file for macromolecular structures. *J Mol Biol*, 112(3):535–542, May 1977.
- [7] S. Bhavani, A. Nagargadde, A. Thawani, V. Sridhar, and N. Chandra. Substructure-based support vector machine classifiers for prediction of adverse effects in diverse classes of drugs. *J Chem Inf Model*, 46(6):2478–2486, 2006.
- [8] S. Boucheron, G. Lugosi, and P. Massart. A sharp concentration inequality with applications. *Random Structures and Algorithms*, 16:277–292, 2000.
- [9] Christopher Bowd, Kwokleung Chan, Linda M Zangwill, Michael H Goldbaum, Te-Won Lee, Terrence J Sejnowski, and Robert N Weinreb. Comparing neural networks and linear discriminant functions for glaucoma

detection using confocal scanning laser ophthalmoscopy of the optic disc. *Invest Ophthalmol Vis Sci*, 43(11):3444–54, Nov 2002.

- [10] Christopher Bowd, Linda M Zangwill, Felipe A Medeiros, Jiucang Hao, Kwokleung Chan, Te-Won Lee, Terrence J Sejnowski, Michael H Goldbaum, Pamela A Sample, Jonathan G Crowston, and Robert N Weinreb. Confocal scanning laser ophthalmoscopy classifiers and stereophotograph evaluation for prediction of visual field abnormalities in glaucoma-suspect eyes. *Invest Ophthalmol Vis Sci*, 45(7):2255–62, Jul 2004.
- [11] H.-H. Bui, A. J. Schiewe, H. von Grafenstein, and I. S. Haworth. Structural prediction of peptides binding to MHC class I molecules. *Proteins*, 63(1):43–52, Apr 2006.
- [12] Renato Campanini, Danilo Dongiovanni, Emiro Iampieri, Nico Lanconelli, Matteo Masotti, Giuseppe Palermo, Alessandro Riccardi, and Matteo Roffilli. A novel featureless approach to mass detection in digital mammograms based on support vector machines. *Phys Med Biol*, 49(6):961–75, Mar 2004.
- [13] O. Catoni. Gibbs estimators. Revised version.
- [14] O. Catoni. Data Compression and Adaptive Histograms. In Felipe Cucker and J. Maurice Rojas, editors, *Foundations of Computational Mathematics, Proceedings of Smalefest 2000*. World Scientific, 2002.
- [15] Ian Chan, William Wells, Robert V Mulkern, Steven Haker, Jianqing Zhang, Kelly H Zou, Stephan E Maier, and Clare M C Tempany. Detection of prostate cancer by integration of line-scan diffusion, T2-mapping and T2-weighted magnetic resonance imaging; a multichannel statistical classifier. *Med Phys*, 30(9):2390–8, Sep 2003.
- [16] Kwokleung Chan, Te-Won Lee, Pamela A Sample, Michael H Goldbaum, Robert N Weinreb, and Terrence J Sejnowski. Comparison of machine learning and traditional classifiers in glaucoma diagnosis. *IEEE Trans Biomed Eng*, 49(9):963–74, Sep 2002.
- [17] S. K. Chanda and J. S. Caldwell. Fulfilling the promise: drug discovery in the post-genomic era. *Drug Discov Today*, 8(4):168–174, Feb 2003.
- [18] Vladimir Cherkassky and Yunqian Ma. Practical selection of SVM parameters and noise estimation for SVM regression. *Neural Netw*, 17(1):113–26, Jan 2004.
- [19] Kai-Min Chung, Wei-Chun Kao, Chia-Liang Sun, Li-Lun Wang, and Chih-Jen Lin. Radius margin bounds for support vector machines with the RBF kernel. *Neural Comput*, 15(11):2643–81, Nov 2003.

- [20] Gilles Cohen, Mélanie Hilario, Hugo Sax, Stéphane Hugonnet, Christian Pellegrini, and Antoine Geissbuhler. An application of one-class support vector machine to nosocomial infection detection. *Medinfo*, 11(Pt 1):716–20, 2004.
- [21] Ronan Collobert, Samy Bengio, and Yoshua Bengio. A parallel mixture of SVMs for very large scale problems. *Neural Comput*, 14(5):1105–14, May 2002.
- [22] Casey Diekman, Wei He, Nagabhushana Prabhu, and Harvey Cramer. Hybrid methods for automated diagnosis of breast tumors. *Anal Quant Cytol Histol*, 25(4):183–90, Aug 2003.
- [23] J. A. DiMasi, R. W. Hansen, and H. G. Grabowski. The price of innovation: new estimates of drug development costs. *J Health Econ*, 22(2):151–185, Mar 2003.
- [24] Chris Ding and Hanchuan Peng. Minimum redundancy feature selection from microarray gene expression data. *J Bioinform Comput Biol*, 3(2):185–205, Apr 2005.
- [25] Marko Djordjevic, Anirvan M Sengupta, and Boris I Shraiman. A biophysical approach to transcription factor binding site discovery. *Genome Res.*, 13(11):2381–90, Nov 2003.
- [26] Justis P Ehlers and J. William Harbour. NBS1 expression as a prognostic marker in uveal melanoma. *Clin. Cancer Res.*, 11(5):1849–53, Mar 2005.
- [27] I. El-Naqa, Y. Yang, N. P. Galatsanos, R. M. Nishikawa, and M. N. Wernick. A similarity learning approach to content-based image retrieval: application to digital mammography. *IEEE Trans Med Imaging*, 23(10):1233–44, Oct 2004.
- [28] D. Erös, G. Kéri, I. Kövesdi, C. Szántai-Kis, G. Mészáros, and L. Orfi. Comparison of predictive ability of water solubility QSPR models generated by MLR, PLS and ANN methods. *Mini Rev Med Chem*, 4(2):167–177, Feb 2004.
- [29] Olivier Faugeras, Geoffray Adde, Guillaume Charpiat, Christophe Chéd'hotel, Maureen Clerc, Thomas Deneux, Rachid Deriche, Gerardo Hermosillo, Renaud Keriven, Pierre Kornprobst, Jan Kybic, Christophe Lenglet, Lucero Lopez-Perez, Tho Papadopoulo, Jean-Philippe Pons, Florent Segonne, Bertrand Thirion, David Tschumperl, Thierry Viville, and Nicolas Wotawa. Variational, geometric, and statistical methods for modeling brain anatomy and function. *Neuroimage*, 23 Suppl 1:S46–55, 2004.
- [30] Roberto Fdez Galn, Silke Sachse, C. Giovanni Galizia, and Andreas V M Herz. Odor-driven attractor dynamics in the antennal lobe allow for simple and rapid olfactory pattern classification. *Neural Comput*, 16(5):999–1012, May 2004.

- [31] Deon Garrett, David A Peterson, Charles W Anderson, and Michael H Thaut. Comparison of linear, nonlinear, and feature selection methods for EEG signal classification. *IEEE Trans Neural Syst Rehabil Eng*, 11(2):141–4, Jun 2003.
- [32] Xijin Ge, Shuichi Tsutsumi, Hiroyuki Aburatani, and Shuichi Iwata. Reducing false positives in molecular pattern recognition. *Genome Inform Ser Workshop Genome Inform*, 14:34–43, 2003.
- [33] Girosi. An Equivalence Between Sparse Approximation and Support Vector Machines. *Neural Comput*, 10(6):1455–80, Jul 1998.
- [34] Dimitris Glotsos, Panagiota Spyridonos, Dionisis Cavouras, Panagiota Ravazoula, Petroula-Arampantoni Dadioti, and George Nikiforidis. Automated segmentation of routinely hematoxylin-eosin-stained microscopic images by combining support vector machine clustering and active contour models. *Anal Quant Cytol Histol*, 26(6):331–40, Dec 2004.
- [35] Michael H Goldbaum, Pamela A Sample, Kwokleung Chan, Julia Williams, Te-Won Lee, Eytan Blumenthal, Christopher A Girkin, Linda M Zangwill, Christopher Bowd, Terrence Sejnowski, and Robert N Weinreb. Comparing machine learning classifiers for diagnosing glaucoma from standard automated perimetry. *Invest Ophthalmol Vis Sci*, 43(1):162–9, Jan 2002.
- [36] Polina Golland, W. Eric L Grimson, Martha E Shenton, and Ron Kikinis. Detection and analysis of statistical differences in anatomical shape. *Med Image Anal*, 9(1):69–86, Feb 2005.
- [37] Guodong Guo and Charles R Dyer. Learning from examples in the small sample case: face expression recognition. *IEEE Trans Syst Man Cybern B Cybern*, 35(3):477–88, Jun 2005.
- [38] Hong Guo, Lindsay B Jack, and Asoke K Nandi. Feature generation using genetic programming with application to fault classification. *IEEE Trans Syst Man Cybern B Cybern*, 35(1):89–99, Feb 2005.
- [39] S. B. Gktrk, C. Tomasi, B. Acar, C. F. Beaulieu, D. S. Paik, R. B. Jeffrey, J. Yee, and S. Napel. A statistical 3-D pattern processing method for computer-aided detection of polyps in CT colonography. *IEEE Trans Med Imaging*, 20(12):1251–60, Dec 2001.
- [40] A. Ifantis and S. Papadimitriou. The nonlinear predictability of the electrotelluric field variations data analyzed with support vector machines as an earthquake precursor. *Int J Neural Syst*, 13(5):315–32, Oct 2003.
- [41] A. Juditsky and A. Nemirovski. Functional Aggregation for Nonparametric Estimation. *Ann. Stat.*, 28(3):681–712, June 2000.

- [42] Abdullah Kahraman, Richard J Morris, Roman A Laskowski, and Janet M Thornton. Shape variation in protein binding pockets and their ligands. *J Mol Biol*, 368(1):283–301, Apr 2007.
- [43] Stephen LaConte, Stephen Strother, Vladimir Cherkassky, Jon Anderson, and Xiaoping Hu. Support vector machines for temporal classification of block design fMRI data. *Neuroimage*, 26(2):317–29, Jun 2005.
- [44] Zhiqiang Lao, Dinggang Shen, Zhong Xue, Bilge Karacali, Susan M Resnick, and Christos Davatzikos. Morphological classification of brains via high-dimensional shape transformations and machine learning methods. *Neuroimage*, 21(1):46–57, Jan 2004.
- [45] Mette Voldby Larsen, Claus Lundegaard, Kasper Lamberth, Søren Buus, Søren Brunak, Ole Lund, and Morten Nielsen. An integrative approach to CTL epitope prediction: a combined algorithm integrating MHC class I binding, TAP transport efficiency, and proteasomal cleavage predictions. *Eur J Immunol*, 35(8):2295–2303, Aug 2005.
- [46] S. Lauritzen. *Graphical Models*. Oxford, 1996.
- [47] Jinyan Li, Huiqing Liu, James R Downing, Allen Eng-Juh Yeoh, and Limsoon Wong. Simple rules underlying gene expression profiles of more than six subtypes of acute lymphoblastic leukemia (ALL) patients. *Bioinformatics*, 19(1):71–8, Jan 2003.
- [48] Shutao Li, James Tin-Yau Kwok, Ivor Wai-Hung Tsang, and Yaonan Wang. Fusing images with different focuses using support vector machines. *IEEE Trans Neural Netw*, 15(6):1555–61, Nov 2004.
- [49] WuMei Lin, Xin Yuan, Powing Yuen, William I Wei, Jonathan Sham, PengCheng Shi, and Jianan Qu. Classification of in vivo autofluorescence spectra using support vector machines. *J Biomed Opt*, 9(1):180–6, 2004.
- [50] G. Lugosi. On concentration-of-measure inequalities. Seminar notes, 1998.
- [51] G. Lugosi and A. Nobel. Adaptive Model Selection Using Empirical Complexities. *Ann. Stat.*, 27(6):1830–1864, December 1999.
- [52] K. Q. Luo and D. C. Chang. The gene-silencing efficiency of siRNA is strongly dependent on the local structure of mRNA at the targeted region. *Biochem. Biophys. Res. Commun.*, 318(1):303–10, May 2004.
- [53] S. K. Majumder, N. Ghosh, and P. K. Gupta. Support vector machine for optical diagnosis of cancer. *J Biomed Opt*, 10(2):024034, 2005.
- [54] Stephen Marsland, Jonathan Shapiro, and Ulrich Nehmzow. A self-organising network that grows when required. *Neural Netw*, 15(8-9):1041–58, 2002.

- [55] Ann-Marie Martoglio, James W Miskin, Stephen K Smith, and David J C MacKay. A decomposition model to track gene expression signatures: preview on observer-independent classification of ovarian cancer. *Bioinformatics*, 18(12):1617–24, Dec 2002.
- [56] Alvaro Mateos, Joaquin Dopazo, Ronald Jansen, Yuhai Tu, Mark Gerstein, and Gustavo Stolovitzky. Systematic learning of gene functional classes from DNA array expression data by using multilayer perceptrons. *Genome Res.*, 12(11):1703–15, Nov 2002.
- [57] D. H. Mathews, J. Sabina, M. Zuker, and D. H. Turner. Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. *J Mol Biol*, 288(5):911–940, May 1999.
- [58] Torsten Mayr, Christian Igel, Gregor Liebsch, Ingo Klimant, and Otto S Wolfbeis. Cross-reactive metal ion sensor array in a micro titer plate format. *Anal Chem*, 75(17):4389–96, Sep 2003.
- [59] Dong mei Qin, Zhan yi Hu, and Yong heng Zhao. Automated classification of celestial spectra based on support vector machines. *Guang Pu Xue Yu Guang Pu Fen Xi*, 24(4):507–11, Apr 2004.
- [60] Charles A Micchelli and Massimiliano Pontil. On learning vector-valued functions. *Neural Comput*, 17(1):177–204, Jan 2005.
- [61] F. Miwakeichi, R. Ramirez-Padron, P. A. Valdes-Sosa, and T. Ozaki. A comparison of non-linear non-parametric models for epilepsy data. *Comput. Biol. Med.*, 31(1):41–57, Jan 2001.
- [62] M. Opper and O. Winther. Gaussian processes for classification: mean-field algorithms. *Neural Comput*, 12(11):2655–84, Nov 2000.
- [63] Shaoning Pang, Daijin Kim, and Sung Yang Bang. Face membership authentication using SVM classification tree generated by membership-based LLE data partition. *IEEE Trans Neural Netw*, 16(2):436–46, Mar 2005.
- [64] Paul Pavlidis, Ilan Wapinski, and William Stafford Noble. Support vector machine classification on the web. *Bioinformatics*, 20(4):586–7, Mar 2004.
- [65] Bjoern Peters and Alessandro Sette. Generating quantitative models describing the sequence specificity of biological processes with the stabilized matrix method. *BMC Bioinformatics*, 6:132, 2005.
- [66] Poggio and Girosi. A Sparse Representation for Function Approximation. *Neural Comput*, 10(6):1445–54, Jul 1998.
- [67] M. Pontil and A. Verri. Properties of support vector machines. *Neural Comput*, 10(4):955–74, May 1998.

- [68] K. N Bhanu Prakash, A. G. Ramakrishnan, S. Suresh, and Teresa W P Chow. Fetal lung maturity analysis using ultrasound image features. *IEEE Trans Inf Technol Biomed*, 6(1):38–45, Mar 2002.
- [69] Fernando Prez-Cruz, Carlos Bousoo-Calzn, and Antonio Arts-Rodrguez. Convergence of the IRWLS Procedure to the Support Vector Machine Solution. *Neural Comput*, 17(1):7–18, Jan 2005.
- [70] Zhong Qin, Qiang Yu, Jun Li, Zhi-Yi Wu, and Bing-Min Hu. Application of least squares vector machines in modelling water vapor and carbon dioxide fluxes over a cropland. *J Zhejiang Univ Sci*, 6(6):491–5, Jun 2005.
- [71] Risau-Gusman and Gordon. Generalization properties of finite-size polynomial support vector machines. *Phys Rev E Stat Phys Plasmas Fluids Relat Interdiscip Topics*, 62(5 Pt B):7092–9, Nov 2000.
- [72] S. Risau-Gusman and M. B. Gordon. Statistical mechanics of learning with soft margin classifiers. *Phys Rev E Stat Nonlin Soft Matter Phys*, 64(3 Pt 1):031907, Sep 2001.
- [73] Volker Roth and Tilman Lange. Bayesian class discovery in microarray datasets. *IEEE Trans Biomed Eng*, 51(5):707–718, May 2004.
- [74] Pamela A Sample, Michael H Goldbaum, Kwokleung Chan, Catherine Boden, Te-Won Lee, Christiana Vasile, Andreas G Boehm, Terrence Sejnowski, Chris A Johnson, and Robert N Weinreb. Using machine learning classifiers to identify glaucomatous change earlier in standard visual fields. *Invest Ophthalmol Vis Sci*, 43(8):2660–5, Aug 2002.
- [75] Alexander P Sassi, Frank Andel, Hans-Marcus L Bitter, Michael P S Brown, Robert G Chapman, Jeraldine Espiritu, Alfred C Greenquist, Isabelle Guyon, Mariana Horchi-Alegre, Kathy L Stults, Ann Wainright, Jonathan C Heller, and John T Stults. An automated, sheathless capillary electrophoresis-mass spectrometry platform for discovery of biomarkers in human serum. *Electrophoresis*, 26(7-8):1500–12, Apr 2005.
- [76] G. Schneider and P. Wrede. Artificial neural networks for computer-based molecular design. *Prog Biophys Mol Biol*, 70(3):175–222, 1998.
- [77] Matthias Seeger. Gaussian processes for machine learning. *Int J Neural Syst*, 14(2):69–106, Apr 2004.
- [78] Felix B Sheinerman, Elie Giraud, and Abdelazize Laoui. High affinity targets of protein kinase inhibitors have similar residues at the positions energetically important for binding. *J Mol Biol*, 352(5):1134–1156, Oct 2005.
- [79] Li Shen, Jie Yang, and Yue Zhou. Detection of PVCs with support vector machine. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*, 22(1):78–81, Feb 2005.

- [80] Minghu Song, Curt M Breneman, Jinbo Bi, N. Sukumar, Kristin P Bennett, Steven Cramer, and Nihal Tugcu. Prediction of protein retention times in anion-exchange chromatography systems using support vector regression. *J Chem Inf Comput Sci*, 42(6):1347–57, 2002.
- [81] Xiaowei Song, Arnold Mitnitski, Jafna Cox, and Kenneth Rockwood. Comparison of machine learning techniques with classical statistical models in predicting health outcomes. *Medinfo*, 11(Pt 1):736–40, 2004.
- [82] Alexander Sturn, John Quackenbush, and Zlatko Trajanoski. Genesis: cluster analysis of microarray data. *Bioinformatics*, 18(1):207–8, Jan 2002.
- [83] M. Sultan, D. A. Wigle, C. A. Cumbaa, M. Maziarz, J. Glasgow, M. S. Tsao, and I. Jurisica. Binary tree-structured vector quantization approach to clustering and visualizing microarray data. *Bioinformatics*, 18 Suppl 1:S111–9, 2002.
- [84] J. A. Suykens, J. Vandewalle, and B. De Moor. Optimal control by least squares support vector machines. *Neural Netw*, 14(1):23–35, Jan 2001.
- [85] M. Talagrand. Concentration of measure and isoperimetric inequalities in product spaces. *Publ. Math. I.H.E.S.*, 81:73–203, 1995.
- [86] M. Talagrand. Majorizing measures: The generic chaining. *Ann. Probab.*, 24:1049–1103, 1996.
- [87] M. Talagrand. New concentration inequalities for product spaces. *Inventiones Math.*, 126:505–563, 1996.
- [88] M. Talagrand. A New Look at Independence. *Ann. Probab.*, 24:1–34, 1996.
- [89] A. Talukder and D. Casasent. A closed-form neural network for discriminatory feature extraction from high-dimensional data. *Neural Netw*, 14(9):1201–18, Nov 2001.
- [90] R. D. Teixeira, A. P. Braga, R. H. Takahashi, and R. R. Saldanha. Recent advances in the MOBJ algorithm for training artificial neural networks. *Int J Neural Syst*, 11(3):265–70, Jun 2001.
- [91] Liang Tian and Afzel Noore. A novel approach for short-term load forecasting using support vector machines. *Int J Neural Syst*, 14(5):329–35, Oct 2004.
- [92] Nihal Tugcu, Minghu Song, Curt M Breneman, N. Sukumar, Kristin P Bennett, and Steven M Cramer. Prediction of the effect of mobile-phase salt type on protein retention and selectivity in anion exchange systems. *Anal Chem*, 75(14):3563–72, Jul 2003.

- [93] W. L. Tung and C. Quek. GenSo-FDSS: a neural-fuzzy decision support system for pediatric ALL cancer subtype identification using gene expression data. *Artif. Intell. Med.*, 33(1):61–88, Jan 2005.
- [94] Huey-Ming Tzeng, Jer-Guang Hsieh, and Yih-Lon Lin. Predicting nurses' intention to quit with a support vector machine: a new approach to set up an early warning mechanism in human resource management. *Comput Inform Nurs*, 22(4):232–42, 2004.
- [95] W. Vercoetere, S. Winters-Hilt, H. Olsen, D. Deamer, D. Haussler, and M. Akeson. Rapid discrimination among individual DNA hairpin molecules at single-nucleotide resolution using an ion channel. *Nat Biotechnol*, 19(3):248–52, Mar 2001.
- [96] Grace Wahba. Soft and hard classification by reproducing kernel Hilbert space methods. *Proc Natl Acad Sci U S A*, 99(26):16524–30, Dec 2002.
- [97] Christopher A Waring and Xiuwen Liu. Face detection using spectral histograms and SVMs. *IEEE Trans Syst Man Cybern B Cybern*, 35(3):467–76, Jun 2005.
- [98] Griffin Weber, Staal Vinterbo, and Lucila Ohno-Machado. Building an asynchronous web-based tool for machine learning classification. *Proc AMIA Symp*, pages 869–73, 2002.
- [99] W. J. Wilbur. Boosting naive Bayesian learning on a large subset of MEDLINE. *Proc AMIA Symp*, pages 918–22, 2000.
- [100] Lei Xie, Li Xie, and Philip E Bourne. A unified statistical model to support local sequence order independent similarity searching for ligand-binding sites and its application to genome-based drug discovery. *Bioinformatics*, 25(12):i305–i312, Jun 2009.
- [101] Zheng Rong Yang. Biological applications of support vector machines. *Brief Bioinform*, 5(4):328–38, Dec 2004.
- [102] GuoDong Zhou, Jie Zhang, Jian Su, Dan Shen, and ChewLim Tan. Recognizing names in biomedical texts: a machine learning approach. *Bioinformatics*, 20(7):1178–90, May 2004.
- [103] Lingyun Zhu, Baoming Wu, and Changxiu Cao. Introduction to medical data mining. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*, 20(3):559–62, Sep 2003.
- [104] S. C. Zhu, Y. Wu, and D. Mumford. FRAME: Filters, Random field And Maximum Entropy: — Towards a Unified Theory for Texture Modeling. *Int'l Journal of Computer Vision*, 27(2):1–20, 1998.
- [105] S. C. Zhu, Z. N. Wu, and D. Mumford. Minimax Entropy Principle and Its Application to Texture Modeling. *Neural Comput.*, 9(8):1627–1660, 1997.